# ®

# **International Journal of Research**

Available at https://edupediapublications.org/journals

e-ISSN: 2348-6848 p-ISSN: 2348-795X Volume 05 Issue 12 April 2018

# **Design And Fabrication Of Biomass Gasifier**

<sup>1</sup> N. BALAKRISHNAN, <sup>2</sup> A.Prakash, <sup>3</sup> T.Prem Kumar, <sup>4</sup>S.Gnanasekaran,

<sup>5</sup>S.Vigneshwaran

<sup>1</sup>Assistant Professor, <sup>2,3,4,5</sup>UG Students, Department of Mechanical Engineering, Gnanamani College of Technology, Namakkal Tamilnadu, India.

#### **ABSTRACT**

Today's Energy Hungry World is consuming non-renewable sources of energy such as fossil fuels at alarming rates, which has increased the importance of developing renewable energy sources. Biomass is one such source of renewable energy which is abundantly available in India in the form of industrial and agricultural by-products. In this project we aim to contribute in a small way to this changing face of sustainable energy resources by designing and fabricating a Downdraft gasifier using two sources of biomass viz. rice husk and wood pellets. The syn-gas subsequently produced are used to run an I.C. Engine and a performance analysis would be conducted. High heat transfer rates of the walls and tubes may allow the particles of biomass to achieve a high enough temperature necessary for Substantial tar destruction and complete gasification of greater than 90 per cent of the biomass particles into reaction products including hydrogen and carbon monoxide gas in a very short residence time between a range of 0.01 and 5 seconds.

KEYWORDS: biomass gasification boiler, air compressor, fuel port, reactor

#### Introduction

Biomass is the oldest source of energy and currently biomass accounts for approximately 10% of total primary energy consumption. Most of the developing countries has growing their interest in biofuel development and providing greater access to clean liquid fuels while helping to address the issues such as increase in global warming and fuel associated price concerns

petroleum fuels. But most is the energy security. Abundant biomass is available throughout the world which can be converted into convenient energy. Dense biomass include, plant waste, animal waste, municipal waste, forest waste food waste, vegetable seeds and crops residues. Biomass is traditionally available in solid form Biomass is well-thought-out as a better source of energy because it bargains energy


# R


## **International Journal of Research**

Available at https://edupediapublications.org/journals

e-ISSN: 2348-6848 p-ISSN: 2348-795X Volume 05 Issue 12 April 2018

security, reduced GHG emission and rural employability. This Biomass





# 2. Working Principle

Biomass gasification is basically the conversion of solid biofuels into a combustible gas mixture known as "syn-gas" or "producer gas." A gasifier is a chemical reactor that performs this conversion can be converted into heat and power by Classification of Biomass Gasifier

adopting appropriate method. Fig. 1 shows the utilization of biomass to get various different outputs

residues corresponding to a potential of about 17,000 MW.

Gasifiers are classified as per the type of bed

- (1) fixed bed and
- (2) fluidized bed.

# R UR

#### **International Journal of Research**

Available at <a href="https://edupediapublications.org/journals">https://edupediapublications.org/journals</a>

e-ISSN: 2348-6848 p-ISSN: 2348-795X Volume 05 Issue 12 April 2018

### Components of gasifier

### Hopper Gasification Zone

### **Outer Cylinder**

#### Construction

In order to assemble the gasifier components, first of all gasification zone is placed inside the casing of gasification zone.

Now gas outlet plate is welded at

Now gas outlet plate is welded at the top of the gasification zone. complete assembly gasification zone, casing and gas outlet cover plate casing and gas outlet Now the above shown assembly is placed inside the outer cylinder and tightens with the help of nut and bolts. Hopper with its cover plat is now welded at the top of the above assembly making the design of complete gasifier unit. Isometric, top, front and side view of the complete gasifier unit

#### Conclusion

• Higher amount of diesel fuel can be saved

by replacing diesel with producer gas although there would be brake reduction in thermal efficiency which is due to lower heating value of producer and gas insufficient amount of oxygen supply.

- NO emission was found to be very low in dual fuel which is a great advantage of dual fuel mode over diesel fuel alone.
- CO and HC emission
   was observed very high
   in dual fuel mode
   which gives an
   indication of
   insufficient oxygen in
   combustion chamber.

# R

#### **International Journal of Research**

Available at https://edupediapublications.org/journals

e-ISSN: 2348-6848 p-ISSN: 2348-795X Volume 05 Issue 12 April 2018

#### REFERENCES

Nirmala Kaushik & Soumitra Biswas, New Generation Biofuels Technology & Economic Perspectives, Technology Information, Forecasting (TIFAC) Assessment Council Department of Science & Technology (DST), 2010.

- 1. Ministry of New and Renewable Energy, 2011.
- 2. Arvind kumar Asthana; Biomass a fuel in small boilers, pp10-52, 2009.
- 3. G.D. Rai, Non-conventional energy sources, Khanna publishers, ISBN 81-7409-073-8, p313, 2010.
- 4. http://www.renewable.no/site pageview.aspx?articleID=177
- 5. Biomass Conversion Technologies, Renewable Energy World, page no. 46, 2006 H.E.M. Stassen and H.A.M. Knoef, small scale gasification systems
- 6. http://www.britannica.com/E Bchecked/topic/278814/hydro genation
- 7. Azam Ali Md., Ahsanullah Md., Syeda R. Sultana. Construction of a downdraft biomass gasifier, Journal of Mechanical Engineering, 37 (2007), pp 71-73.

- 8. Bhattacharya S.C., Hla S.S., Leon M.A., Weeratunga K. An improved gasifier stove for institutional cooking, Asian Institute of Technology, Thailand, (2005)
- 9. Sharma K.A. Experimental study on 75 kWth downdraft (biomass) gasifier system, Renewable Energy, 34 (2009), pp. 1726-1733.