



To Study the Principles of Knowledge Discovery in Database

Author Name: - Sandeep Kaur

Guide Name: - Narinder Kumar Sharma

College: - University College of Computer Applications

Email Id: - S.Deep5532@Gmail.Com

ABSTRACT

We are in an age often referred to as the information age. In this information age, because we believe that information leads to power and success, and thanks to sophisticated technologies such as computers, satellites, etc., we have been collecting tremendous amounts of information. Initially, with the advent of computers and means for mass digital storage, we started collecting and storing all sorts of data, counting on the power of computers to help sort through this amalgam of information. Unfortunately, these massive collections of data stored on disparate structures very rapidly became overwhelming. This initial chaos has led to the creation of structured databases and database management systems (DBMS). The efficient database management systems have been very important assets for management of a large corpus of data and especially for effective and efficient retrieval of particular information from a large collection whenever needed. The proliferation of database management systems has also contributed to recent massive gathering of all sorts of information. Today, we have far more information than we can handle: from business transactions and scientific data, to satellite pictures, text reports and military intelligence. Information retrieval is simply not enough anymore for decision-making. Confronted with huge collections of data, we have now created new needs to help us make better managerial choices. These needs are automatic summarization of data, extraction of the "essence" of information stored, and the discovery of patterns in raw data.

Keywords: -

Data; extraction of the "essence" of information stored; and the discovery of patterns in raw data

INTRODUCTION

1. INTRODUCAION

DATA MINING AND KNOWLEDGE DISCOVERY

With the enormous amount of data stored in files, databases, and other repositories, it is increasingly important, if not necessary, to develop powerful means for analysis and perhaps interpretation of such data and for the extraction of interesting knowledge that could help in decision-making.

Data Mining, also popularly known as Knowledge Discovery in Databases (KDD), refers to the nontrivial extraction of implicit, previously unknown and potentially useful information from data in databases. While data mining and knowledge discovery in databases (or KDD) are frequently treated as synonyms, data mining is actually part of the knowledge discovery process. The following figure (Figure 1.1) shows data mining as a step in an iterative knowledge discovery process.




Figure 1.1: Data Mining Is the Core of Knowledge Discovery Process

1.1 ITERATIVE PROCESS

The Knowledge Discovery in Databases process comprises of a few steps leading from raw data collections to some form of new knowledge. The iterative process consists of the following steps:

Data cleaning: also known as data cleansing, it is a phase in which noise data and irrelevant data are removed from the collection.

Data integration: at this stage, multiple data sources, often heterogeneous, may be combined in a common source.

Data selection: at this step, the data relevant to the analysis is decided on and retrieved from the data collection.

Data transformation: also known as data consolidation, it is a phase in which the selected data is transformed into forms appropriate for the mining procedure.

Data mining: it is the crucial step in which clever techniques are applied to extract patterns potentially useful.

Pattern evaluation: in this step, strictly interesting patterns representing knowledge are identified based on given measures.

Knowledge representation: is the final phase in which the discovered knowledge is visually represented to the user. This essential step uses visualization techniques to help users understand and interpret the data mining results.

It is common to combine some of these steps together. For instance, data cleaning and data integration can be performed together as a pre-processing phase to generate a data warehouse. Data selection and data transformation can also be combined where the consolidation of the data is the result of the selection, or, as for the case of data warehouses, the selection is done on transformed data.

The KDD is an iterative process. Once the discovered knowledge is presented to the user, the evaluation measures can be enhanced, the mining can be further refined, new data can be selected or further transformed, or new data sources can be integrated, in order to get different, more appropriate results.

Data mining derives its name from the similarities between searching for valuable information in a large database and mining rocks for a vein of valuable ore. Both imply either sifting through a large amount of material or ingeniously probing the material to exactly pinpoint where the values reside. It is, however, a misnomer, since mining for gold in rocks is usually called "gold mining" and not "rock mining", thus by analogy, data mining should have been called "knowledge mining" instead. Nevertheless, data mining became the accepted customary term, and very rapidly a trend that even overshadowed more general terms such as knowledge discovery in databases (KDD) that describe a more complete process. Other similar terms referring to data mining are: data dredging, knowledge extraction and pattern discovery.

1.2 VARIOUS TYPES OF DATABASES

In principle, data mining is not specific to one type of media or data. Data mining should be applicable to any kind of information repository. However, algorithms and approaches may differ

when applied to different types of data. Indeed, the challenges presented by different types of data vary significantly. Data mining is being put into use and studied for databases, including relational databases, object-relational databases and object-oriented databases, data warehouses, transactional databases, unstructured and semi-structured repositories such as the World Wide Web, advanced databases such as spatial databases, multimedia databases, time-series databases and textual databases, and even flat files. Here are some examples in more detail:

1.2.1 FLAT FILES

Flat files are actually the most common data source for data mining algorithms, especially at the research level. Flat files are simple data files in text or binary format with a structure known by the data mining algorithm to be applied. The data in these files can be transactions, time-series data, scientific measurements, etc.

1.2.2 RELATIONAL DATABASES

Briefly, a relational database consists of a set of tables containing either values of entity attributes, or values of attributes from entity relationships. Tables have columns and rows, where columns represent attributes and rows represent tuples. A tuple in a relational table corresponds to either an object or a relationship between objects and is identified by a set of attribute values representing a unique key. In Figure 1.2 we present some relations Customer, Items, and Borrow representing business activity in a fictitious video store Our Video Store. These relations are just a subset of what could be a database for the video store and is given as an example.




Figure 1.2: Fragments of some relations from a relational database for Our Video Store

The most commonly used query language for relational database is SQL, which allows retrieval and manipulation of the data stored in the tables, as well as the calculation of aggregate functions such as average, sum, min, max and count. For instance, an SQL query to select the videos grouped by category would be:

```
SELECT count (*) FROM Items WHERE type=video GROUP BY category.
```

Data mining algorithms using relational databases can be more versatile than data mining algorithms specifically written for flat files, since they can take advantage of the structure inherent to relational databases. While data mining can benefit from SQL for data selection, transformation and consolidation, it goes beyond what SQL could provide, such as predicting, comparing, detecting deviations, etc.

1.2.3 DATA WAREHOUSES

A data warehouse as a storehouse is a repository of data collected from multiple data sources (often heterogeneous) and is intended to be used as a whole under the same unified schema. A data warehouse gives the option to analyze data from different sources under the same roof. Let us suppose that OurVideoStore becomes a franchise in North America. Many video stores belonging to OurVideoStore Company may have different databases and different structures. If the executive of the company wants to access the data from all stores for strategic decision-

making, future direction, marketing, etc., it would be more appropriate to store all the data in one site with a homogeneous structure that allows interactive analysis. In other words, data from the different stores would be loaded, cleaned, transformed and integrated together. To facilitate decision-making and multi-dimensional views, data warehouses are usually modeled by a multi-dimensional data structure. Figure 1.3 shows an example of a three dimensional subset of a data cube structure used for OurVideoStore data warehouse.




Figure 1.3: A multi-dimensional data cube structure commonly used in data for data warehousing

The figure shows summarized rentals grouped by film categories, then a cross table of summarized rentals by film categories and time (in quarters). The data cube gives the summarized rentals along three dimensions: category, time, and city. A cube contains cells that store values of some aggregate measures (in this case rental counts), and special cells that store summations along dimensions. Each dimension of the data cube contains a hierarchy of values for one attribute.

Because of their structure, the pre-computed summarized data they contain and the hierarchical attribute values of their dimensions, data cubes are well suited for fast interactive querying and analysis of data at different conceptual levels, known as On-Line Analytical Processing (OLAP). OLAP operations allow the navigation of data at different levels of

abstraction, such as drill-down, roll-up, slice, dice, etc. Figure 1.4 illustrates the drill-down (on the time dimension) and roll-up (on the location dimension) operations.

1.2.4 TRANSACTION DATABASES

A transaction database is a set of records representing transactions, each with a time stamp, an identifier and a set of items. Associated with the transaction files could also be descriptive data for the items. For example, in the case of the video store, the rentals table such as shown in Figure 1.5 represents the transaction database. Each record is a rental contract with a customer identifier, a date, and the list of items rented (i.e. video tapes, games, VCR, etc.). Since relational databases do not allow nested tables (i.e. a set as attribute value), transactions are usually stored in flat files or stored in two normalized transaction tables, one for the transactions and one for the transaction items. One typical data mining analysis on such data is the so-called market basket analysis or association rules in which associations between items occurring together or in sequence are studied.




Figure 1.4: Summarized data from OurVideoStore before and after drill-down and roll-up operations

transactionID	date	time	customerID	itemList
712345	09/06/06	19:38	1234	(12, 14, 10, 145, ...)

Figure 1.5: Fragment of a transaction database for the rentals at OurVideoStore.

Figure 1.5: Fragment of a transaction database for the rentals at OurVideoStore

1.2.5 MULTIMEDIA DATABASES

Multimedia databases include video, images, and audio and text media. They can be stored on extended object-relational or object-oriented databases, or simply on a file system. Multimedia is characterized by its high dimensionality, which makes data mining even more challenging. Data mining from multimedia repositories may require computer vision, computer graphics, image interpretation, and natural language processing methodologies.

1.2.6 SPATIAL DATABASES

Spatial databases are databases that, in addition to usual data, store geographical information like maps, and global or regional positioning. Such spatial databases present new challenges to data mining algorithms.




Figure 1.6: Visualization of spatial OLAP (from Geometer system)

1.2.7 TIME-SERIES DATABASES

Time-series databases contain time related data such stock market data or logged activities. These databases usually have a continuous flow of new data coming in, which sometimes causes the need for a challenging real time analysis. Data mining in such databases commonly includes the study of trends and correlations between evolutions of different variables, as well as the prediction of trends and movements of the variables in time. Figure 1.7 shows some examples of time-series data.




Figure 1.7: Examples of Time-Series Data

1.2.7 WORLD WIDE WEB

The World Wide Web is the most heterogeneous and dynamic repository available. A very large number of authors and publishers are continuously contributing to its growth and metamorphosis, and a massive number of users are accessing its resources daily. Data in the World Wide Web is organized in inter-connected documents. These documents can be text, audio, video, raw data, and even applications.

Conceptually, the World Wide Web is comprised of three major components: The content of the Web, which encompasses documents available; the structure of the Web, which covers the hyperlinks and the relationships between documents; and the usage of the web, describing how and when the resources are accessed. A fourth dimension can be added relating the dynamic nature or evolution of the documents. Data mining in the World Wide Web, or web mining, tries to address all these issues and is often divided into web content mining, web structure mining and web usage mining.

1.3 WHAT KIND OF INFORMATION ARE WE COLLECTING?

We have been collecting a myriad of data, from simple numerical measurements and text documents, to more complex information such as spatial data, multimedia channels, and hypertext documents. Here is a non-exclusive list of a variety of information collected in digital form in databases and in flat files.

Business transactions: Every transaction in the business industry is (often) "memorized" for perpetuity. Such transactions are usually time related and can be inter-business deals such as purchases, exchanges, banking, stock, etc., or intra-business operations such as management of in-house wares and assets. Large department stores, for example, thanks to the widespread use of bar codes, store millions of transactions daily representing often terabytes of data. Storage space is not the major problem, as the price of hard disks is continuously dropping, but the effective use of the data in a reasonable time frame for competitive decision-making is definitely the most important problem to solve for businesses that struggle to survive in a highly competitive world.

Scientific data: Whether in a Swiss nuclear accelerator laboratory counting particles, in the Canadian forest studying readings from a grizzly bear radio collar, on a South Pole iceberg gathering data about oceanic activity, or in an American university investigating human

psychology, our society is amassing colossal amounts of scientific data that need to be analyzed. Unfortunately, we can capture and store more new data faster than we can analyze the old data already accumulated.

Medical and personal data: From government census to personnel and customer files, very large collections of information are continuously gathered about individuals and groups. Governments, companies and organizations such as hospitals, are stockpiling very important quantities of personal data to help them manage human resources, better understand a market, or simply assist clientele. Regardless of the privacy issues this type of data often reveals, this information is collected, used and even shared. When correlated with other data this information can shed light on customer behavior and the like

Surveillance video and pictures: With the amazing collapse of video camera prices, video cameras are becoming ubiquitous. Video tapes from surveillance cameras are usually recycled and thus the content is lost. However, there is a tendency today to store the tapes and even digitize them for future use and analysis.

Satellite sensing: There are a countless number of satellites around the globe: some are geostationary above a region, and some are orbiting around the Earth, but all are sending a non-stop stream of data to the surface. NASA, which controls a large number of satellites, receives more data every second than what all NASA researchers and engineers can cope with. Many satellite pictures and data are made public as soon as they are received in the hopes that other researchers can analyze them.

Games: Our society is collecting a tremendous amount of data and statistics about games, players and athletes. From hockey scores, basketball passes and car-racing lapses, to swimming times, boxer's pushes and chess positions, all the data are stored. Commentators and journalists are using this information for reporting, but trainers and athletes would want to



exploit this data to improve performance and better understand opponents.

Digital media: The proliferation of cheap scanners, desktop video cameras and digital cameras is one of the causes of the explosion in digital media repositories. In addition, many radio stations, television channels and film studios are digitizing their audio and video collections to improve the management of their multimedia assets. Associations such as the NHL and the NBA have already started converting their huge game collection into digital forms.

CAD and Software engineering data: There are a multitude of Computer Assisted Design (CAD) systems for architects to design buildings or engineers to conceive system components or circuits. These systems are generating a tremendous amount of data. Moreover, software engineering is a source of considerable similar data with code, function libraries, objects, etc., which need powerful tools for management and maintenance.

Virtual Worlds: There are many applications making use of three-dimensional virtual spaces. These spaces and the objects they contain are described with special languages such as VRML. Ideally, these virtual spaces are described in such a way that they can share objects and places. There is a remarkable amount of virtual reality object and space repositories available. Management of these repositories as well as content-based search and retrieval from these repositories are still research issues, while the size of the collections continues to grow.

Text reports and memos (e-mail messages): Most of the communications within and between companies or research organizations or even private people, are based on reports and memos in textual forms often exchanged by e-mail. These messages are regularly stored in digital form for future use and reference creating formidable digital libraries.

The World Wide Web repositories: Since the inception of the World Wide Web in 1993,

documents of all sorts of formats, content and description have been collected and inter-connected with hyperlinks making it the largest repository of data ever built. Despite its dynamic and unstructured nature, its heterogeneous characteristic, and it's very often redundancy and inconsistency, the World Wide Web is the most important data collection regularly used for reference because of the broad variety of topics covered and the infinite contributions of resources and publishers. Many believe that the World Wide Web will become the compilation of human knowledge.

1.4 REQUIREMENTS AND CHALLENGES OF DATA MINING

In order to conduct effective data mining, one needs to first examine what kind of features an applied knowledge discovery system is expected to have and what kind of challenges one may face at the development of data mining techniques.

1. Handling of different types of data.

Because there are many kinds of data and databases used in different applications, one may expect that a knowledge discovery system should be able to perform effective data mining on different kinds of data. Since most available databases are relational, it is crucial that a data mining system performs efficient and effective knowledge discovery on relational data. Moreover, many applicable databases contain complex data types, such as structured data and complex data objects, hypertext and multimedia data, spatial and temporal data, transaction data, legacy data, etc. A powerful system should be able to perform effective data mining on such complex types of data as well. However, the diversity of data types and different goals of data mining make it unrealistic to expect one data mining system to handle all kinds of data. Specific data mining systems should be constructed for knowledge mining on specific kinds of data, such as systems dedicated to knowledge mining in relational databases,



transaction databases, spatial databases, multimedia databases, etc.

2. Efficiency and scalability of data mining algorithms.

To effectively extract information from a huge amount of data in databases, the knowledge discovery algorithms must be efficient and scalable to large databases. That is, the running time of a data mining algorithm must be predictable and acceptable in large databases. Algorithms with exponential or even medium-order polynomial complexity will not be of practical use.

3. Usefulness, certainty and expressiveness of data mining results.

The discovered knowledge should accurately portray the contents of the database and be useful for certain applications. The imperfectness should be expressed by measures of uncertainty, in the form of approximate rules or quantitative rules. Noise and exceptional data should be handled elegantly in data mining systems. This also motivates a systematic study of measuring the quality of the discovered knowledge, including interestingness and reliability, by construction of statistical, analytical, and simulative models and tools.

4. Expression of various kinds of data mining results.

Different kinds of knowledge can be discovered from a large amount of data. Also, one may like to examine discovered knowledge from different views and present them in different forms. This requires us to express both the data mining requests and the discovered knowledge in high-level languages or graphical user interfaces so that the data mining task can be specified by no experts and the discovered knowledge can be understandable and directly usable by users. This also requires the discovery system to adopt expressive knowledge representation techniques.

5. Interactive mining knowledge at multiple abstraction levels.

Since it is difficult to predict what exactly could be discovered from a database, a high-level data mining query should be treated as a probe which may disclose some interesting traces for further exploration. Interactive discovery should be encouraged, which allows a user to interactively refine a data mining request, dynamically change data focusing, progressively deepen a data mining process, and flexibly view the data and data mining results at multiple abstraction levels and from different angles.

6. Mining information from different sources of data.

The widely available local and wide-area computer network, including Internet, connect many sources of data and form huge distributed heterogeneous databases. Mining knowledge from different sources of formatted or unformatted data with diverse data semantics poses new challenges to data mining. On the other hand, data mining may help disclose the high-level data regularities in heterogeneous databases which can hardly be discovered by simple query systems. Moreover, the huge size of the database, the wide distribution of data, and the computational complexity of some data mining methods motivate the development of parallel and distributed data mining algorithms.

7. Protection of privacy and data security.

When data can be viewed from many different angles and at different abstraction levels, it threatens the goal of protecting data security and guarding against the invasion of privacy. It is important to study when knowledge discovery may lead to an invasion of privacy, and what security measures can be developed for preventing the disclosure of sensitive information.

Notice that some of these requirements may carry conflicting goals. For example, the goal of protection of data security may conflict with the requirement of interactive mining of multiple level knowledge from different angles. Moreover, this survey addresses only some of the



above requirements, with an emphasis on the efficiency and scalability of data mining algorithms. For example, the handling of different types of data are conned to relational and transactional data, and the methods for protection of privacy and data security are not addressed (some discussions could be found elsewhere, such as [22, 63]). Nevertheless, we feel that it is still important to present an overall picture regarding to the requirements of data mining.

PROBLEM FORMULATION

Before developing research we keep following things in mind so that we can develop powerful and quality research.

3.1 PROBLEM STATEMENT

3.1.1 WHY DO WE NEED KNOWLEDGE DISCOVERY DATABASE

The traditional method of turning data into knowledge relies on manual analysis and interpretation. For example, in the health-care industry, it is common for specialists to periodically analyze current trends and changes in health-care data, say, on a quarterly basis. The specialists then provide a report detailing the analysis to the sponsoring health-care organization; this report becomes the basis for future decision making and planning for health-care management. In a totally different type of application, planetary geologists sift through remotely sensed images of planets and asteroids, carefully locating and cataloging such geologic objects of interest as impact craters. Be it science, marketing, finance, health care, retail, or any other field, the classical approach to data analysis relies fundamentally on one or more analysts becoming intimately familiar with the data and serving as an interface between the data and the users and products. For these (and many other) applications, this form of manual probing of a data set is slow, expensive, and highly subjective. In fact, as data volumes grow dramatically, this type of manual data analysis is becoming completely impractical in many

domains. Databases are increasing in size in two ways:

1. The number N of records or objects in the database
2. The number of fields or attributes to an object. Databases containing on the order of $N = 10^9$ objects are becoming increasingly common, for example, in the astronomical sciences. Similarly, the number of fields d can easily be on the order of 10^2 or even 10^3 , for example, in medical diagnostic applications. Who could be expected to digest millions of records, each having tens or hundreds of fields? We believe that this job is certainly not one for humans; hence, analysis work needs to be automated, at least partially. The need to scale up human analysis capabilities to handling the large number of bytes that we can collect is both economic and scientific. Businesses use data to gain competitive advantage, increase efficiency, and provide more valuable services to customers. Data we capture about our environment are the basic evidence we use to build theories and models of the universe we live in. Because computers have enabled humans to gather more data than we can digest, it is only natural to turn to computational techniques to help us unearth meaningful patterns and structures from the massive volumes of data. Hence, KDD is an attempt to address a problem that the digital information era made a fact of life for all of us: data overload.

3.2 OBJECTIVE

How do we categorize data mining systems?

Our main objective is data mining functionalities and the variety of knowledge discovered.

There are many data mining systems available or being developed. Some are specialized systems dedicated to a given data source or are confined to limited data mining functionalities, other are more versatile and comprehensive. Data mining systems can be categorized according to various criteria among other classification are the following:



Classification according to the type of data source mined: this classification categorizes data mining systems according to the type of data handled such as spatial data, multimedia data, time-series data, text data, World Wide Web, etc.

Classification according to the data model drawn on: this classification categorizes data mining systems based on the data model involved such as relational database, object-oriented database, data warehouse, transactional, etc.

Classification according to the kind of knowledge discovered: this classification categorizes data mining systems based on the kind of knowledge discovered or data mining functionalities, such as characterization, discrimination, association, classification, clustering, etc. Some systems tend to be comprehensive systems offering several data mining functionalities together.

Classification according to mining techniques used: Data mining systems employ and provide different techniques. This classification categorizes data mining systems according to the data analysis approach used such as machine learning, neural networks, genetic algorithms, statistics, visualization, database-oriented or data warehouse-oriented, etc. The classification can also take into account the degree of user interaction involved in the data mining process such as query-driven systems, interactive exploratory systems, or autonomous systems. A comprehensive system would provide a wide variety of data mining techniques to fit different situations and options, and offer different degrees of user interaction.

RESEARCH METHODOLOGY

4.1 METHODOLOGY

Data mining algorithms embody techniques that have sometimes existed for many years, but have only lately been applied as reliable and scalable tools that time and again outperform older classical statistical methods. While data mining is still in its infancy, it is becoming a trend and ubiquitous. Before data mining develops into a

conventional, mature and trusted discipline, many still pending issues have to be addressed. Some of these issues are addressed below. Note that these issues are not exclusive and are not ordered in any way.

4.1.1 SECURITY AND SOCIAL ISSUES

Security is an important issue with any data collection that is shared and/or is intended to be used for strategic decision-making. In addition, when data is collected for customer profiling, user behavior understanding, correlating personal data with other information, etc., large amounts of sensitive and private information about individuals or companies is gathered and stored. This becomes controversial given the confidential nature of some of this data and the potential illegal access to the information. Moreover, data mining could disclose new implicit knowledge about individuals or groups that could be against privacy policies, especially if there is potential dissemination of discovered information. Another issue that arises from this concern is the appropriate use of data mining. Due to the value of data, databases of all sorts of content are regularly sold, and because of the competitive advantage that can be attained from implicit knowledge discovered, some important information could be withheld, while other information could be widely distributed and used without control.

4.1.2 USER INTERFACE ISSUES

The knowledge discovered by data mining tools is useful as long as it is interesting, and above all understandable by the user. Good data visualization eases the interpretation of data mining results, as well as helps users better understand their needs. Many data exploratory analysis tasks are significantly facilitated by the ability to see data in an appropriate visual presentation. There are many visualization ideas and proposals for effective data graphical presentation. However, there is still much research to accomplish in order to obtain good visualization tools for large datasets that could be used to display and manipulate mined



knowledge. The major issues related to user interfaces and visualization is "screen real-estate", information rendering, and interaction. Interactivity with the data and data mining results is crucial since it provides means for the user to focus and refine the mining tasks, as well as to picture the discovered knowledge from different angles and at different conceptual levels.

4.1.3 MINING METHODOLOGY ISSUES

These issues pertain to the data mining approaches applied and their limitations. Topics such as versatility of the mining approaches, the diversity of data available, the dimensionality of the domain, the broad analysis needs (when known), the assessment of the knowledge discovered, the exploitation of background knowledge and metadata, the control and handling of noise in data, etc. are all examples that can dictate mining methodology choices. For instance, it is often desirable to have different data mining methods available since different approaches may perform differently depending upon the data at hand. Moreover, different approaches may suit and solve user's needs differently.

Most algorithms assume the data to be noise-free. This is of course a strong assumption. Most datasets contain exceptions, invalid or incomplete information, etc., which may complicate, if not obscure, the analysis process and in many cases compromise the accuracy of the results. As a consequence, data preprocessing (data cleaning and transformation) becomes vital. It is often seen as lost time, but data cleaning, as time-consuming and frustrating as it may be, is one of the most important phases in the knowledge discovery process. Data mining techniques should be able to handle noise in data or incomplete information.

More than the size of data, the size of the search space is even more decisive for data mining techniques. The size of the search space is often depending upon the number of dimensions in the domain space. The search space usually grows exponentially when the number of dimensions

increases. This is known as the curse of dimensionality. This "curse" affects so badly the performance of some data mining approaches that it is becoming one of the most urgent issues to solve.

4.1.4 PERFORMANCE ISSUES

Many artificial intelligence and statistical methods exist for data analysis and interpretation. However, these methods were often not designed for the very large data sets data mining is dealing with today. Terabyte sizes are common. This raises the issues of scalability and efficiency of the data mining methods when processing considerably large data. Algorithms with exponential and even medium-order polynomial complexity cannot be of practical use for data mining. Linear algorithms are usually the norm. In same theme, sampling can be used for mining instead of the whole dataset. However, concerns such as completeness and choice of samples may arise. Other topics in the issue of performance are incremental updating, and parallel programming. There is no doubt that parallelism can help solve the size problem if the dataset can be subdivided and the results can be merged later. Incremental updating is important for merging results from parallel mining, or updating data mining results when new data becomes available without having to re-analyze the complete dataset.

4.1.5 DATA SOURCE ISSUES

There are many issues related to the data sources, some are practical such as the diversity of data types, while others are philosophical like the data glut problem. We certainly have an excess of data since we already have more data than we can handle and we are still collecting data at an even higher rate. If the spread of database management systems has helped increase the gathering of information, the advent of data mining is certainly encouraging more data harvesting. The current practice is to collect as much data as possible now and process it, or try to process it, later. The concern is whether we are collecting the right data at the appropriate



amount, whether we know what we want to do with it, and whether we distinguish between what data is important and what data is insignificant. Regarding the practical issues related to data sources, there is the subject of heterogeneous databases and the focus on diverse complex data types. We are storing different types of data in a variety of repositories. It is difficult to expect a data mining system to effectively and efficiently achieve good mining results on all kinds of data and sources. Different kinds of data and sources may require distinct algorithms and methodologies. Currently, there is a focus on relational databases and data warehouses, but other approaches need to be pioneered for other specific complex data types. A versatile data mining tool, for all sorts of data, may not be realistic. Moreover, the proliferation of heterogeneous data sources, at structural and semantic levels, poses important challenges not only to the database community but also to the data mining community.

5.1 WHAT CAN BE DISCOVERED?

The kinds of patterns that can be discovered depend upon the data mining tasks employed. By and large, there are two types of data mining tasks: descriptive data mining tasks that describe the general properties of the existing data, and predictive data mining tasks that attempt to do predictions based on inference on available data.

The data mining functionalities and the variety of knowledge they discover are briefly presented in the following list:

5.1.1 CHARACTERIZATION

Data characterization is a summarization of general features of objects in a target class, and produces what is called characteristic rules. The data relevant to a user-specified class are normally retrieved by a database query and run through a summarization module to extract the essence of the data at different levels of abstractions. For example, one may want to characterize the OurVideoStore customers who regularly rent more than 30 movies a year. With

concept hierarchies on the attributes describing the target class, the attribute-oriented induction method can be used, for example, to carry out data summarization. Note that with a data cube containing summarization of data, simple OLAP operations fit the purpose of data characterization.

5.1.2 DISCRIMINATION

Data discrimination produces what are called discriminate rules and is basically the comparison of the general features of objects between two classes referred to as the target class and the contrasting class. For example, one may want to compare the general characteristics of the customers who rented more than 30 movies in the last year with those whose rental account is lower than 5. The techniques used for data discrimination are very similar to the techniques used for data characterization with the exception that data discrimination results include comparative measures.

5.1.3 ASSOCIATION ANALYSIS

Association analysis: Association analysis is the discovery of what are commonly called association rules. It studies the frequency of items occurring together in transactional databases, and based on a threshold called support, identifies the frequent item sets. Another threshold, confidence, which is the conditional probability that an item appears in a transaction when another item appears, is used to pinpoint association rules. Association analysis is commonly used for market basket analysis. For example, it could be useful for the OurVideoStore manager to know what movies are often rented together or if there is a relationship between renting a certain type of movies and buying popcorn or pop. The discovered association rules are of the form: $P \rightarrow Q [s,c]$, where P and Q are conjunctions of attribute value-pairs, and s (for support) is the probability that P and Q appear together in a transaction and c (for confidence) is the conditional probability that Q appears in a



transaction when P is present. For example, the hypothetical association rules:

Rent Type(X, "game") AND Age(X, "13-19") -> Buys(X, "pop") [s=2% ,c=55%]

would indicate that 2% of the transactions considered are of customers aged between 13 and 19 who are renting a game and buying a pop, and that there is a certainty of 55% that teenage customers who rent a game also buy pop.

5.1.4 CLASSIFICATION

Classification analysis is the organization of data in given classes. Also known as supervised classification, the classification uses given class labels to order the objects in the data collection. Classification approaches normally use a training set where all objects are already associated with known class labels. The classification algorithm learns from the training set and builds a model. The model is used to classify new objects. For example, after starting a credit policy, the OurVideoStore managers could analyze the customers behaviors vis-à-vis their credit, and label accordingly the customers who received credits with three possible labels "safe", "risky" and "very risky". The classification analysis would generate a model that could be used to either accept or reject credit requests in the future.

5.1.5 PREDICTION

Prediction has attracted considerable attention given the potential implications of successful forecasting in a business context. There are two major types of predictions: one can either try to predict some unavailable data values or pending trends, or predict a class label for some data. The latter is tied to classification. Once a classification model is built based on a training set, the class label of an object can be foreseen based on the attribute values of the object and the attribute values of the classes. Prediction is however more often referred to the forecast of missing numerical values, or increase/ decrease trends in time related data. The major idea is to

use a large number of past values to consider probable future values.

5.1.6 CLUSTERING

Similar to classification, clustering is the organization of data in classes. However, unlike classification, in clustering, class labels are unknown and it is up to the clustering algorithm to discover acceptable classes. Clustering is also called unsupervised classification, because the classification is not dictated by given class labels. There are many clustering approaches all based on the principle of maximizing the similarity between objects in a same class (intra-class similarity) and minimizing the similarity between objects of different classes (inter-class similarity).

5.1.7 OUTLIER ANALYSIS

Outliers are data elements that cannot be grouped in a given class or cluster. Also known as exceptions or surprises, they are often very important to identify. While outliers can be considered noise and discarded in some applications, they can reveal important knowledge in other domains, and thus can be very significant and their analysis valuable.

5.1.8 EVOLUTION AND DEVIATION ANALYSIS

Evolution and deviation analysis pertain to the study of time related data that changes in time. Evolution analysis models evolutionary trends in data, which consent to characterizing, comparing, classifying or clustering of time related data. Deviation analysis, on the other hand, considers differences between measured values and expected values, and attempts to find the cause of the deviations from the anticipated values.

It is common that users do not have a clear idea of the kind of patterns they can discover or need to discover from the data at hand. It is therefore important to have a versatile and inclusive data mining system that allows the discovery of different kinds of knowledge and at different



levels of abstraction. This also makes interactivity an important attribute of a data mining system.

CONCLUSION AND FUTURE WORK

This chapter is based upon the conclusion of what we have done so far and how the system can be further enhanced with an increase in requirements.

6.1 CONCLUSION

Is all that is discovered interesting and useful?

Data mining allows the discovery of knowledge potentially useful and unknown. Whether the knowledge discovered is new, useful or interesting, is very subjective and depends upon the application and the user. It is certain that data mining can generate, or discover, a very large number of patterns or rules. In some cases the number of rules can reach the millions. One can even think of a meta-mining phase to mine the oversized data mining results. To reduce the number of patterns or rules discovered that have a high probability to be non-interesting, one has to put a measurement on the patterns. However, this raises the problem of completeness. The user would want to discover all rules or patterns, but only those that are interesting. The measurement of how interesting a discovery is, often called interestingness, can be based on quantifiable objective elements such as validity of the patterns when tested on new data with some degree of certainty, or on some subjective depictions such as understandability of the patterns, novelty of the patterns, or usefulness.

Discovered patterns can also be found interesting if they confirm or validate a hypothesis sought to be confirmed or unexpectedly contradict a common belief. This brings the issue of describing what is interesting to discover, such as meta-rule guided discovery that describes forms of rules before the discovery process, and interestingness refinement languages that

interactively query the results for interesting patterns after the discovery phase. Typically, measurements for interestingness are based on thresholds set by the user. These thresholds define the completeness of the patterns discovered.

Identifying and measuring the interestingness of patterns and rules discovered, or to be discovered is essential for the evaluation of the mined knowledge and the KDD process as a whole. While some concrete measurements exist, assessing the interestingness of discovered knowledge is still an important research issue.

REFERENCES

- [1]. M. S. Chen, J. Han, and P. S. Yu. Data mining: An overview from a database perspective. IEEE Trans. Knowledge and Data Engineering, 8:866-883, 1996.
- [2]. U. M. Fayyad, G. Piatetsky-Shapiro, P. Smyth, and R. Uthurusamy. Advances in Knowledge Discovery and Data Mining AAAI/MIT Press, 1996.
- [3]. W. J. Frawley, G. Piatetsky-Shapiro and C. J. Matheus, Knowledge Discovery in Databases: An Overview. In G. Piatetsky-Shapiro et al. (Eds) Knowledge Discovery in Databases AAAI/MIT Press, 1991
- [4]. J. Han and M. Kamber. Data Mining: Concepts and Techniques. Morgan Kaufmann, 2000.
- [5]. T. Imielinski and H. Mannila. A database perspective on knowledge discovery Communications of ACM, 39:58-64, 1996.
- [6]. G. Piatetsky-Shapiro, U. M. Fayyad, and P. Smyth. From data mining to knowledge discovery: An overview. In U.M. Fayyad, et al. (eds.) Advances in Knowledge Discovery and Data Mining, 1-35. AAAI/MIT Press, 1996
- [7]. G. Piatetsky-Shapiro and W. J. Frawley. Knowledge Discovery in Databases AAAI/MIT Press, 1991