

e-ISSN: 2348-6848, p- ISSN: 2348-795X Volume 2, Issue 06, June 2015
Available at http://internationaljournalofresearch.org

Masturbation Practice among School Adolescents in Makawanpur District, Nepal

Ram Prasad Adhikari¹ & Dr. Ram Krishna Maharjan²

¹Ph.D. Scholar, Mewar University, Rajasthan, India. email: <u>adhikarirp30@yahoo.com</u> ²Visiting Professor, Mewar University and Research Supervisor email: <u>profmaharjan.rk@gmail.com</u>

1.4 ABSTRACT

The process of touching or rubbing the genital with hand or anything else is known as masturbation. Some of the adolescents, who want to spend their time alone in their own room, practice masturbation. The objective of the study is to assess the masturbation practice of school adolescents. The study data were collected from 400 school adolescents (9-12 classes) of the age group of 15-19 years in 10 sampled higher secondary schools Makawanpur district of Nepal. First of all, stratified random sampling, and then after proportionate random sampling methods were used to select the school and simple random sampling method was used to select the equal number of respondents (200 each) from both sexes.In total, 400 students, 47.75 percent adolescents practice masturbation. The statistically significance of the practice of masturbation on the basis of age, sex, religion, location, caste and class/grade of the students ((p=0.274), (p=seems vary 0.000), (p =0.007),(p = 0.429), (p=0.042), (p=0.967) respectively). **Practicing** excessive masturbation in the low age may cause many physiological and psychological problems. So, the proper guidance and counseling about masturbation to them is essential. On the other hand, there is a need of further research with emphasis on other potential influences like profession of parents, accessibility information technology and social status of respondents on masturbation.

at the last of this period. The(UNICEF, 2014), defines that adolescence is a period distinct from both early childhood and adulthood. It is an interim period that needs special care and guard. Children go through a number of changes during the period of physically mature. We know that the brain experiences quite considerable developments in the adolescence, which affect sensitive skills as well as physical and mental capacities. Similarly, (McNeely C. e., 2009) stated that adolescence period generally defined another decade of life, which is a period of changeover from childhood to maturity. Investigators nowadays note that physical and mental changes related with adolescence may arise as early as age 8 and encompass until the age of 24.

The world population of adolescents is around onefourth. The study of (Chatterjee, 2008, p. 21), showed that nearly 25 percent of adolescents and youth of the worldsimply live in the five countries of south Asia only and more pointedly about twenty percent in this region are the age of 10 to 19 years.Likewise(CBS, 2012, pp. presented that there are 6,407,404 (24.18% of total population) adolescents in Nepal andthere 104914adolescents (1.64% ofadolescents of Nepal) only in Makawanpur district (Male 51585 (49.17%) and female 53329(50.83%)).

Adolescence is such a period in which adolescents are always surrounded by various



e-ISSN: 2348-6848, p- ISSN: 2348-795X Volume 2, Issue 06, June 2015 Available at http://internationaljournalofresearch.org

problems. They have been continuously facing dual and controversial ideas. Due to that, they cannot decide whether the matter is right or wrong. So their life is full of stress, worries and fear. The study of (Compas, 1989, pp. 732-740) describes that two probable sources of hazard for adolescents' emotional or behavioral problems are traumatic events in the life of adolescents and stressors and psychological indicators in their parents.

Most of the adolescents wants to make peer group while others want to live alone. Those adolescents who want to live alone separately have the chance to practice masturbation. The psychologists say that it is the period of day dreaming. They imagine many sexual activities with the opposite sex, which produces stimulation towards sex, leads them to masturbate. The Cambridge Online Dictionary has defined that masturbation is the touching and rubbing somebody's sex organs for providing them sensuality. Similarly, the Urban Online Dictionary has also definedmasturbation as the performance of touching him/herself to create the satisfactory sensation in the genital area. It is generally occurred with the joint efforts of mental, visual and audio stimulation to reach orgasm. The (Wikipedia, 2015a), stated that masturbation has been defined in art since primitive periods and is stated and deliberated in very early literatures. In the eighteenth nineteenthcenturies. several European theologians and physicians described it as monstrous, disgraceful, and dreadful, but throughout the twentieth century, and those prohibitions mostlyweakened. There has been an increase in dialogue and interpretation of masturbation in art, popular music, TV, films, and literature. In another article in (Wikipedia, 2015b) also stated that the early Greeks considered masturbation as an ordinary and healthy substitute for other forms of sexual pleasure.

Further more(Masters, William H. et.al, 1995, pp. 404-447), stated in the book "Human Sexuality" that the nineteenth-century medical occupation in America criticized masturbation with enthusiasm. The clash was struggled on two main fronts, diet, and physical limitation. Gravy, liquor, shellfish, salt, black pepper, fish, jelly, sweet, ginger, and coffee were banned to masturbators (both male and female) meanwhile it was assumed that they irritated the nerves and increased sexual desire. The study of(Carvalheira, 2013a, pp. 347-367), stated that masturbation is a common sexual behavior with important differences conveyed prevalence between male and female. In the study of (Das, 2007, pp. 108-120) in China, 13 percent of women and 35 percent of men told they had practiced masturbation in the previous year. Similarly, In the study of (Higgins, 2010, pp. 1-18), among the college students in America, women were comparatively less (48%) than men (92%) to have continually masturbated. Similarly, in another study of (Queensland Government, 2003) in Queensland, more number of male (67%) told that they have engaged in masturbation activities within a year with the comparison of female (36%).

With the increment of age, the hormonal discharge consequences the increment in sexual desires. Playing, talking and various entertaining activities with peers, adolescents know and learn to satisfying measures and methods of sexual desires and they start masturbation. When they start masturbation, they get pleasure and happiness both. Meanwhile, they hear rumors that masturbation cause infertile and many physical problems, which causes mental tension or stress but they cannot leave the habit immediatelydue to the lack of decisionwhether the masturbation is good or bad. In the study of (Kaestle CE, 2011), maximum women told that they are unable to decide whether striving with conflict about masturbation or accepting it a normal



e-ISSN: 2348-6848, p- ISSN: 2348-795X Volume 2, Issue 06, June 2015 Available at http://internationaljournalofresearch.org

behavior. Maximum male accept masturbation as beneficial in the development of healthy sexual behaviour.

There is lack of proper guidance and counseling to the adolescents. So, imitation, peer pressure and lack of self-control cause the negative and unexpected behavior among them. Immature sex practice like masturbation is an example of the adolescence period. They don't know the positive or negative impact of such an unnatural practice. The goal of this study is to evaluate the masturbation habit of school going adolescents. Whereas it is assumed that the age, sex, caste, religion, location, education level plays the vital role to determine the habit of masturbation among the adolescents.

1.7 METHODOLOGY AND TECHNIQUES USED

RESEARCH DESIGN

The research design applied for the study was descriptive survey.

SETTTING OF THE STUDY

The study was done within ten sampled 9 to 12 classes running higher secondary schools in Makawanpur district, Nepal.

POPULATION

The targeted population of the study was both the boys and girls students of class 9 to class 12, aged 15-19 years.

SAMPLE SIZE

Equal number of girls and boys from each class were selected among 400 school going students of classes 9 to 12 in this study.

SAMPLING TECHNIQUE

First of all, the research area, Makawanpur district was divided into four strata on the basis of electoral regions and one stratum is made to Hetauda municipality because of its dissimilar characteristics; within the electoral region3. So,

all together five strata were made and then proportionate stratified sampling method was used to choose the number of school from every stratum.

Ten (34.48%) schools were selected among 29 schools as the sample schools and 400 respondents were selected from 10 schools. After that simple random sampling method was used to choose equal number of boys and girls (5/5) from each class for the questionnaire survey. And the cross- sectional study method was applied to collect the data from the respondents.

TOOL FOR THE STUDY

Language translation and back translation and expert opinion was done to test the validity of instrument (questionnaire), as well as pilot study, was done among 10% respondents of total selected sample size.

DATA ANALYSIS

The result was drawn from the primary data and critically discussed with the secondary data. Frequency table and Chi-square test was done for quantitative data by using the SPSS to explore the association between the variables.

1.8 CASE STUDY: Nil 1.9 RESULT AND DISCUSSION

The habit of masturbation is common among adolescents. The adolescents of Nepal cannot express their sexual desire openly in front of other due to the social norms, values, and beliefs. There is less chance to fulfill their sexual desires easily. So, the adolescents practice masturbation as the best way of satisfying their sexual desires. The study of (Prajapati, 2011, pp. 21-26) has showed that 22.56 percent teenagers have the practice of masturbation. The tables below describe the status of masturbation practice among school adolescents of the Makawanpur district, Nepal.



e-ISSN: 2348-6848, p- ISSN: 2348-795X Volume 2, Issue 06, June 2015
Available at http://internationaljournalofresearch.org

Table 1: Practice of Masturbation on the basis of age of respondents

Habit of Masturbation		Age of Respondents					Total	Pearson Chi-square
		15 years	16 years	17 years	18	19 years		Asymp. Sig. (2-
					years			sided)
	Count	29	23	30	33	25	140	
Yes	% within Habit of	20.7	16.4	21.4	22.6	17.0	100.0	
ies	Masturbation	20.7	10.4	21.4	23.6	17.9	100.0	
	% of Total	7.2	5.8	7.5	8.2	6.2	35.0	0.274
	Count	51	50	51	29	28	209	
Ma	% within Habit of	24.4	22.0	24.4	12.0	12.4	100.0	
No	Masturbation	24.4	23.9	24.4	13.9	13.4	100.0	
	% of Total	12.8	12.5	12.8	7.2	7.0	52.2	
	Count	15	10	11	9	6	51	
NI	% within Habit of	20.4	10.6	21.6	17.6	11.0	100.0	
No response	Masturbation	29.4	19.6	21.6	17.6	11.8	100.0	
	% of Total	3.8	2.5	2.8	2.2	1.5	12.8	
Total	Count	95	83	92	71	59	400	
	% within Habit of	22.0	20.0	22.0	17.0	140	100.0	
	Masturbation	23.8	20.8	23.0	23.0 17.8	3 14.8	100.0	
	% of Total	23.8	20.8	23.0	17.8	14.8	100.0	

Source: Field Survey 2014

In the above table 1, there is no significant difference (p=0.274) between the age and practicing masturbation. But there is a significant difference (p=0.000) between the beginning age and the practice of masturbation. Some of the respondents (44.25%) have started masturbation below the age of 15 years. The study of college girls in Gujarat, India of (Sharma, 1998), stated that nearly 81 percent adolescents girls had begun masturbation from the age of 12 to 15 years, their median age of starting masturbation was 15 years. Similarly, another study of (McNeely C. a., 2009)describes that imagination of sexual activities and the masturbation experience rise in the age from 10 to 13 years.

In the study of (Robbins, 2011, pp. 1087-1093), more males (73.8%) expressed masturbation than the females (48.1%). Among males, masturbation rate increased with age: at age 14 years, 62.6 percent of males told at least 1 previous occurrence, whereas 80 percent of 17year old males statedalwayspractice masturbation. Currently, masturbation is being increased with age in males: 67.6 percent of 17yearolds described masturbation in the previous month, compared with 42.9 percent of 14 yearolds. In females, previous masturbation increased with age (58% at age 17 years compared with 43.3% at age 14 years), whereas recent masturbation did not. Masturbation was related with variouscombined sexual behaviors in both males and females.

Table 2: Masturbation Practice on the basis of Sex of respondents

Habit of Masturbation		Sex of Res	ondents	Total	Pearson Chi-square	
		Male	Female		Asymp. Sig. (2-sided)	
	Count	129	11	140		
Yes	% within Habit of Masturbation	92.1	7.9	100.0		
	% of Total	32.2	2.8	35.0	0.000	
	Count	57	152	209		
No	% within Habit of Masturbation	27.3	72.7	100.0		
	% of Total	14.2	38.0	52.2		
	Count	14	37	51		
No response	% within Habit of Masturbation	27.5	72.5	100.0		
•	% of Total	3.5	9.2	12.8		
	Count	200	200	400		
Total	% within Habit of Masturbation	50.0	50.0	100.0		
	% of Total	50.0	50.0	100.0		

Source: Field Survey 2014

The table 2 shows that there is a significant difference (p=0.000) between sex and masturbation practice. The study of (R.Shashikumar, 2012, pp. 138-143), showed that the habit of masturbation is simply 21.9 percent among female adolescentsthough it is 55.7 percent among boys. In another



e-ISSN: 2348-6848, p- ISSN: 2348-795X Volume 2, Issue 06, June 2015
Available at http://internationaljournalofresearch.org

study of (Carvalheira, 2013b, pp. 347-367), 91 percent percent of womenspecified that they had masturbated in any time of their lives with 29.3 percenttold having masturbated within the earlier month

Table 3: Masturbation practice on the basis of religion of respondents

Habit of Masturbation			Religion of I	Respondents	•	Total	Pearson Chi-square
		Hindu	Buddhist	Muslim	Christian		Asymp. Sig. (2-sided)
	Count	87	49	0	4	140	0.007
Yes	% within Habit of Masturbation	62.1	35.0	0.0	2.9	100.0	
	% of Total	21.8	12.2	0.0	1.0	35.0	
	Count	154	45	0	10	209	
No	% within Habit of Masturbation	73.7	21.5	0.0	4.8	100.0	
	% of Total	38.5	11.2	0.0	2.5	52.2	
	Count	40	9	1	1	51	
No response	% within Habit of Masturbation	78.4	17.6	2.0	2.0	100.0	
	% of Total	10.0	2.2	0.2	0.2	12.8	
Total	Count	281	103	1	15	400	
	% within Habit of Masturbation	70.2	25.8	0.2	3.8	100.0	
	% of Total	70.2	25.8	0.2	3.8	100.0	

Source: Field Survey 2014

In the above table 3, there is significant difference (p=0.007) between religion and the practice of masturbation. The (Wikipedia, 2015c)indicated that the people of Buddha's stagesupposed that masturbation might have physically and mentally beneficial effect, butthe Buddha was not satisfied with this. The school of Buddhism, Vinaya, stated that masturbation is ascrious crime for monks or nuns to masturbate, though the Buddha provided no direction on this matter to uneducated people. However, Buddhism mightapprove with modern medical belief that masturbation is a normal way to express the sexualdesire and is physically and psychologically unobjectionable; similarly it does not become a worry or a substitute for normal sexual activities. Ancient Catholic theologians normallythought both masturbation and contraceptives as unethical. However, abstinence is the one baseas well as masturbation is the disorders to sexual purity during the celibacy phase of the life in Hinduism.

Table 4: Masturbation practice on the basis of location of respondents

Habit of Masturbation		Location of Re	espondents	Total	Pearson Chi-square
		Urban	Rural		Asymp. Sig. (2-sided)
	Count	25	115	140	0.429
Yes	% within Habit of Masturbation	17.9	82.1	100.0	
	% of Total	6.2	28.8	35.0	
	Count	49	160	209	
No	% within Habit of Masturbation	23.4	76.6	100.0	
	% of Total	12.2	40.0	52.2	
	Count	12	39	51	
No response	% within Habit of Masturbation	23.5	76.5	100.0	
•	% of Total	3.0	9.8	12.8	
	Count	86	314	400	
Total	% within Habit of Masturbation	21.5	78.5	100.0	
	% of Total	21.5	78.5	100.0	

Source: Field Survey 2014

The table 4 shows that there is no significant difference (P=0.429) between the location of respondents and masturbation practice. The study of (Singh, 2014, pp. 6911-6925), showed that almost 15 percent of the urban and 17 percent of the rural adolescent boys stated practicing masturbation, though it seems to be under reported.



e-ISSN: 2348-6848, p- ISSN: 2348-795X Volume 2, Issue 06, June 2015
Available at http://internationaljournalofresearch.org

Table 5: Masturbation Practice on the basis of caste of respondents

Habit of Masturbation		Caste of Respondents					Pearson Chi-square
		Brahmin Chhetri Janajati Dalit Madhe		Madhesi		Asymp. Sig. (2-sided)	
Count	32	18	85	5	0	140	0.042
% within Habit of Masturbation	22.9	12.9	60.7	3.6	0.0	100.0	
% of Total	8.0	4.5	21.2	1.2	0.0	35.0	
Count	69	35	87	17	1	209	
% within Habit of Masturbation	33.0	16.7	41.6	8.1	0.5	100.0	
% of Total	17.2	8.8	21.8	4.2	0.2	52.2	
Count	18	10	21	2	0	51	
% within Habit of Masturbation	35.3	19.6	41.2	3.9	0.0	100.0	
% of Total	4.5	2.5	5.2	0.5	0.0	12.8	
Count	119	63	193	24	1	400	
% within Habit of Masturbation	29.8	15.8	48.2	6.0	0.2	100.0	
% of Total	29.8	15.8	48.2	6.0	0.2	100.0	
	Count % within Habit of Masturbation % of Total Count % within Habit of Masturbation % of Total Count % within Habit of Masturbation % of Total Count % within Habit of Masturbation % of Total Count % within Habit of Masturbation	Count 32 % within Habit of Masturbation 69 % within Habit of Masturbation 69 % within Habit of Masturbation 33.0 % of Total 17.2 Count 18 % within Habit of Masturbation 35.3 % of Total 25.3 % within Habit of Masturbation 4.5 Count 119 % within Habit of Masturbation 29.8	Count 32 18 % within Habit of Masturbation 22.9 12.9 % of Total 8.0 4.5 Count 69 35 % within Habit of Masturbation 33.0 16.7 % of Total 17.2 8.8 Count 18 10 % within Habit of Masturbation 35.3 19.6 % of Total 4.5 2.5 Count 119 63 % within Habit of Masturbation 29.8 15.8	Brahmin Chhetri Janajati Count 32 18 85 % within Habit of Masturbation 22.9 12.9 60.7 % of Total 8.0 4.5 21.2 Count 69 35 87 % within Habit of Masturbation 33.0 16.7 41.6 % of Total 17.2 8.8 21.8 Count 18 10 21 % within Habit of Masturbation 35.3 19.6 41.2 Count 4.5 2.5 5.2 Count 119 63 193 % within Habit of Masturbation 29.8 15.8 48.2	Brahmin Chhetri Janajati Dalit Count 32 18 85 5 % within Habit of Masturbation 22.9 12.9 60.7 3.6 % of Total 8.0 4.5 21.2 1.2 Count 69 35 87 17 % within Habit of Masturbation 33.0 16.7 41.6 8.1 % of Total 17.2 8.8 21.8 4.2 Count 18 10 21 2 % within Habit of Masturbation 35.3 19.6 41.2 3.9 % of Total 4.5 2.5 5.2 0.5 Count 119 63 193 24 % within Habit of Masturbation 29.8 15.8 48.2 6.0	Count 32 18 85 5 0 % within Habit of Masturbation 22.9 12.9 60.7 3.6 0.0 % of Total 8.0 4.5 21.2 1.2 0.0 Count 69 35 87 17 1 % within Habit of Masturbation 33.0 16.7 41.6 8.1 0.5 % of Total 17.2 8.8 21.8 4.2 0.2 Count 18 10 21 2 0 % within Habit of Masturbation 35.3 19.6 41.2 3.9 0.0 Count 119 63 193 24 1 % within Habit of Masturbation 29.8 15.8 48.2 6.0 0.2	Count 32 18 85 5 0 140 % within Habit of Masturbation 22.9 12.9 60.7 3.6 0.0 100.0 % of Total 8.0 4.5 21.2 1.2 0.0 35.0 Count 69 35 87 17 1 209 % within Habit of Masturbation 33.0 16.7 41.6 8.1 0.5 100.0 % of Total 17.2 8.8 21.8 4.2 0.2 52.2 Count 18 10 21 2 0 51 % within Habit of Masturbation 35.3 19.6 41.2 3.9 0.0 100.0 % of Total 4.5 2.5 5.2 0.5 0.0 12.8 Count 119 63 193 24 1 400 % within Habit of Masturbation 29.8 15.8 48.2 6.0 0.2 100.0

Source: Field Survey 2014

In the table 5, there is significant difference (p=0.042) between the caste and masturbation practice. In the International Encyclopedia of Sexuality, (The Continum Complete, 2004) stated that adolescents having the background of at least non-Danish single parent were less sexually potential than their same age peers with Danish parents. Definitely, this trend was most outstanding for girls.

Table 6: Masturbation Practice on the basis of education level/Grade of respondents

Habit of Masturbation		Educ	cational Statu	Total	Pearson Chi-square		
		Class 9	Class 10	Class 11	Class 12		Asymp. Sig. (2-sided)
	Count	35	35	33	37	140	0.967
Yes	% within Habit of Masturbation	25.0	25.0	23.6	26.4	100.0	
	% of Total	8.8	8.8	8.2	9.2	35.0	
No	Count	54	53	54	48	209	
	% within Habit of Masturbation	25.8	25.4	25.8	23.0	100.0	
	% of Total	13.5	13.2	13.5	12.0	52.2	
	Count	11	12	13	15	51	
No response	% within Habit of Masturbation	21.6	23.5	25.5	29.4	100.0	
	% of Total	2.8	3.0	3.2	3.8	12.8	
Total	Count	100	100	100	100	400	
	% within Habit of Masturbation	25.0	25.0	25.0	25.0	100.0	
	% of Total	25.0	25.0	25.0	25.0	100.0	

Source: Field Survey 2014

The above table 6 shows that there is no significant difference (p=0.967) between Class/grade and masturbation practice. In the research of both male and female, (Gerressu M, 2008, pp. 266-278) stated that masturbation increased with the increasing of education level, and social rank and it was further common among those who were suffering from the problem of sexual function.

1.10 CONCLUSION AND RECOMMENDATION

The purpose of the study is to assess the practice of masturbation among school

adolescents. Based on the result and findings, it is concluded that more male adolescent havethe habit of masturbation than the female adolescent students. There is a significant relation between the age, location and study



e-ISSN: 2348-6848, p- ISSN: 2348-795X Volume 2, Issue 06, June 2015 Available at http://internationaljournalofresearch.org

class/grade of the students and practicing masturbation. On the other hand, there is no significant relation between sex, religion and cast of the students and masturbation practice. The masturbation in limit may not have any side effects but excessive masturbation may cause physical, mental, social, emotional, psychological etc. problems. Practicing masturbation in very small age also may create serious problems. It is the subject of worry that the adolescents of 8/9 years are practicing masturbation due to accompany with elders. So, on the basis of the result and finding of the study, following recommendations are given:

- 1. The policy makers, curriculum development centre, parents, teachers and other concerned organizations should be responsible for protecting the adolescents from any kind of serious problems with the help of proper guidance and counseling.
- 2. There is the need of further research with emphasis on other potential influencing factors like profession of parents, accessibility of information technology and social status of respondents on masturbation.
- 3. The study can be done on a large sample, which helps to produce the findings for large population.

1.11 ACKNOWLEDGEMENT

I am very much grateful to the Prof. Dr. Ram Krishna Maharian for continuousincredible support and positive guidance. I would like to express my sincere gratitude to Prof. Dr. Tatwa P. Timsina and Mr. TejBahadurKarki and other members of PhD Centre, Kathmandu for the regular encouragement. I would like to thank Nepal Health Research Council (NHRC), for the approval of research in Nepal and the valuable suggestions. I also thank the lecturers of Makawanpur Multiple Campus, Hetauda, Mr. Bhaskar Chandra Adhikari for his regular accompany during data collection and research period, Mr. Lokraj Sharma for language editing and encouragement.I am also thankful to all the principals and students

of sampled schools for their valuable cooperation.

BIBLIOGRAPHY

- [1.] Carvalheira, A. &. (2013a, February 19). Masturbation Among Women: Associated Factors and Sexual Response in a Portuguese Community Sample. *Journal of Sex & Marital Therapy*, 39(4), 347-367
- [2.] Carvalheira, A. &. (2013b, February 19). Masturbation Among Women: Associated Factors and Sexual Response in a Portuguese Community Sample. *Journal of Sex & Marital Therapy*, 39(4), 347-367.
- [3.] CBS. (2012). *National Population and Housing Census 2011*. Central Bereau of Statistics. Kathmandu, Nepal: Central Beauro of Statistics.
- [4.] Chatterjee, M.,.-S. (2008). Sparing Lives, Better Reproductive Health For Poor Women In South Asia. Washington, D.C.: The International Bank for Reconstruction and Development/The World Bank.
- [5.] Compas, B. E. (1989). Risk Factors for Emotional/Behavioral Problems in Mnmg Adolescents: A Prospective Analysis of Adolescent and Parental Stress and Symptoms. *Journal of Consulting-and Clinical Psychology*, 57(6), 732-740.
- [6.] Das, A. (2007, August 21). Masturbation in Urban China. *Archieve of Sexual Behaviour*, 38(1), 108-120.
- [7.] Gerressu M, M. C. (2008, April). Prevalence of masturbation and associated factors in a British national probability survey. *Arch Sex Behav. 2008 Apr; 37(2): 266-78., 37(2), 266-278.*
- [8.] Higgins, J. A. (2010, March). Young adult sexual health: current and prior sexual behaviors among non-Hispanic white U.S. college students. *Sex Health*, 7(1), 1-18.
- [9.] Kaestle CE, A. K. (2011, October). The role of masturbation in healthy sexual development: perceptions of young



e-ISSN: 2348-6848, p- ISSN: 2348-795X Volume 2, Issue 06, June 2015 Available at http://internationaljournalofresearch.org

- adults. *Archieve of Sexual Behavior*, 40(5), 983-994.
- [10.] Masters, William H. et.al. (1995). Human Sexuallity (5th ed.). (J. L. Tufts, Ed.) New York, America: Longman Publishers.
- [11.] McNeely, C. a. (2009). The teen years explained: A guide to healthy adolescent development. Baltimore: Johns Hopkins Bloomberg School of Public Health.
- [12.] McNeely, C. e. (2009). The Teen Years Explained, a Guide to Healthy Adolescent Development. Baltimore: Center for Adolescent Health at Johns Hopkins Bloomberg School of Public Health.
- [13.] Prajapati, M. a. (2011, January-June). A study of nutritional status and high risk behavior of adolescents in Ahmedabad: A Cross Sectional Study. *h e a l t h l i n e, 2*(1), 21-26.
- [14.] Queensland Government. (2003). Sex in Queensland. A companion report to The Australian and New Zealand Journal of Public Health, 27(2), 22.
- [15.] R.Shashikumar, a. e. (2012, April-June). A cross-sectional study of factors associated with adolescent sexual activity. *Indian journal of psychiatry*, 54(2), 138-143.
- [16.] Robbins, C. L. (2011, December . 2011;165(12):.). Prevalence, Frequency, and Associations of Masturbation With Partnered Sexual Behaviors Among US Adolescents. *Archieves of Pediatrics and*

- *Adolescent Medicine, 165*(12), 1087-1093.
- [17.] Sharma, V. &. (1998). The guilt and pleasure of masturbation: A study of college girls in Gujarat, India. *Sexual and Marital Therapy*, *13*(1), 63-70.
- [18.] Singh, D. (2014, August).

 Perceptions about Sexual and
 Reproductive Health: Rural-Urban
 Differences. European Academic
 Research, II(5), 6911-6925.
- [19.] The Continum Complete. (2004).

 http. (R. E. Noonan, Editor, & C. I. Group, Producer) Retrieved 5 24, 2015, from kinseyinstitute.org: http://www.kinseyinstitute.org/ccies/dk.p hp
- [20.] UNICEF. (2014, May 29). http. Retrieved 5 20, 2015, from unicef.org: http://www.unicef.org/adolescence/
- [21.] Wikipedia. (2015a, May 12). http. Retrieved 5 20, 2015, from wikipedia.org: http://en.wikipedia.org/wiki/Masturbation
- [22.] Wikipedia. (2015b, April 29). http. Retrieved 5 20, 2015, from wikipedia.org: http://en.wikipedia.org/wiki/History_of_ masturbation
- [23.] Wikipedia. (2015c, May 18). http.
 Retrieved 5 20, 2015, from
 Wikipedia.org:
 http://en.wikipedia.org/wiki/Religious_vi
 ews on masturbation