



Social Networking: A Semantic-based Friend Recommendation System

N.Sadhana

sadhananaragudam@gmail.com

Dr.K.Ramakrishna

krkrishna.cse@gmail.com

H.Swetha Deepika

swetha.desh21@gmail.com

Department of Software Engineering, Information Technology Sridevi Women's Engineering College

Abstract:

Friend book is a novel semantic-predicated friend recommendation system for gregarious networks, predicated on their life styles in lieu of gregarious graphs which recommend friends to users. Subsisting convivial networking accommodations recommend friends to users predicated on their convivial graphs, which may not be the most opportune to reflect a user's predilections on friend cull in authentic life. User's daily life is modeled as life documents, from which users life styles are extracted by utilizing the Latent Dirichlet Allocation algorithm; Kindred attribute metric to quantify the kindred attribute of life styles among users, user's impact is calculated in terms of living styles with a friend- corresponding graph. In this paper, a gregarious network is formally represented and taking text mining as a position, we have suggested a framework that will recommend friend using an effective Algorithm. Here, we have examined the structure of Facebook plus considering the actions of some ones got some values & computed the score of each individual proclaimed on which we have, examined and calculated to express the percentage of homogeneous attribute of life styles among users, and recommends friends to users if their life styles have high homogeneous attribute.

Keywords:-Friend testimonial; life fashion; social network

1. INTRODUCTION

Subsisting convivial networking accommodations recommend friends to users predicated on their convivial graphs, which may not be the most opportune to reflect a user's predilections on friend cull in authentic life. In such paper, we introduce Friend book, a novel semantic-predicated friend recommendation system for gregarious networks, which recommends friends to users predicated on their life styles in lieu of convivial graphs. By capitalizing on sensor-affluent smart phones, Friendbook finds out life manners of users from

utilizer-centric sensor data, measures the homogeneous attribute of life styles among users, and recommends friends to users if their life styles have high kindred attribute. Inspired by text mining, we example a utilizer's day by day life as life documents, from which his/her life styles are expressed by utilizing the Latent Dirichlet Allocation algorithm. We further propose a homogeneous attribute metric to quantify the homogeneous attribute of life styles among users, and estimate utilizers impact in terms of life fashions with a friend-matching chart. Upon receiving a request, Friendbook returns a list of people with most prominent recommendation

marks to the query utilizer. Conclusively, Friendbook integrates a feedback mechanism to further ameliorate the recommendation precision. We have implemented Friendbook on the Android-predicated Smartphone, plus measured its execution on both smallscale experiments and immensely colossal-scale simulations. The solutions express that the recommendations accurately shine the tastes of users in culling friends.

As time passes, WWW becomes on arising. Lots of data is available on internet. All the information which we get is not germane, only few of them are pertinent. When a utilizer endeavors to probe something on WWW s/he lands up with thousands of result. As a result, s/he will mess up with astronomically immense information. Hence fetching the genuinely required details gets cumbersome plus time taking. This affords elevate to data filtering system. In early days, for data filtering, Information Filtering (IF) was utilized. IF was fundamentally developed for filtering documentation, articles, news etc. Looking to our era, e- Commerce Department is arising explosively. Whenever a utilizer makes a search for particular item on internet to buy, s/he will get many options. Visually examining the options utilizer gets perplex what to buy, and will not able to sort the item that is congruous to him/her. This quandary gave elevate to Recommendation System [RS]. A recommender system is a personalization system that avails users to find items of interest predicated on their predilections. Recommender systems are efficient implements that overcome the information overload quandary by providing users with the most pertinent contents [8].

The consequentiality of contextual information has been apperceived by researchers plus practitioners in lots subjects letting in Ecommerce, personalized IR, ubiquitous and

mobile computing, data mining, marketing and management. There are many subsisting e-commerce websites which have implemented recommendation systems prosperously. We will talk about elite website in our coming up segment that supplies recommendation. Items are suggested by visually examining the demeanor of like-minded-users. Groups are composed of such users, and items preferred by such groups are recommended to the utilizer, whose relishing and demeanor is akin to the group. In our model we have incorporated utilizer predilections obtained from Convivial Networking Site. Gregarious Networking sites are utilized intensively from last decade. According to the current survey, Convivial Networking sites have the most immensely colossal data set of users. Each gregarious networking internet site notes/records for each one and all action of utilizer (like: what utilizer relishes? what utilizer is doing? what is user's hobby? Etc). Convivial Networking site will prove to be most sizably voluminous domain in understanding the utilizer comportment. One of the best examples of convivial networking is FACEBOOK. According to current news FACEBOOK is endeavoring to develop algorithm, to understand utilizer deportment. Convivial Networking sites can avail us in getting paramount information of users, such as age, gender, location, language, actives, relishes etc. our example brings into explanation these arguments of the utilizer to recommend books. Almost of the friend propositions mechanism trusts on pre-subsisting utilizer human relationship to choice friend candidates. For example, Facebook trusts on a convivial link analysis among those who already share prevalent friends plus encourages symmetrical users as possible friends. The patterns to group people together let in:

- 1) Habits or life style

- 2) Attitudes
- 3) Samples
- 4) Lesson measures
- 5) Economic level; plus
- 6) People they so soon know.

Ostensibly, rule #3 and rule #6 are the mainstream factors considered by subsisting recommendation systems.

2. RELATED WORK

Enables engineering for mobile phone sensing to ken about human deportment and context on mobile phones which uses coalescence of collaborative sensing and relegation techniques. This is the first scheme that enforces distributed machine studying techniques plus collaborative illation concepts to mobile phones. To achieve better interference precision we are utilizing collaborative sensing. Machine learning techniques concretely planned to run straight on sensor enabled mobile phones. This paper is an automatized approaching to updating models all over time what that ye classifiers are rich to the variance in feeling conditions and settings mundane to mobile phones.

Rewards

- Ye classifiers are rich.
- The classifier methods are automated to update the models.
- Collaborative inference is implemented to achieve better precision.

K. Farrahi et al. [3] look into probabilistic topic models as neglected machine learning conveys out for largescale socio-geographic activity mining. They propose a methodology predicated on Latent Dirichlet Algorithm (LDA)

for the revelation of ascendant location routines. In this paper they used two probable models that is to say Multi-Level Topic Model plus Pair sapient – Distance Topic Model. First they propose a Multi-Level Topic example as a method to contain multiple time duration sequences into a probabilistic procreative topic model. And then they propose the Pair sagacious-Distance Topic Model as an come near to address the dilemma of modeling long length actions with topics. Overall, such thesis addresses Investigations principled on mathematical examples plus multiple types of mobile phone sensor information are performed to mine authentic life human activities in immensely colossal-scale scenarios.

Advantages

- Utilized for computing sizably voluminous scale data.
- Abstracts the desideratum for coarse time-slot

T. Huynh et al. [3] spring up an unsupervised methodologically predicated on two differing probabilistic topic models and apply them to the circadian life. They have proposed a method to represent location sequences, and incorporated this into ye LDA plus ATM topic examples. The leaving dispersions of words for latent topics, as well as topics given days, and topics given users, re-veal obnubilated structure of routines which use to perform varying tasks, including finding users or groups of users that exhibit given routines, and determining times.

Advantage

- Used to compute substantial amount of data facilely

3. SYSTEM MODEL




Fig-1. System architecture.

Life style modeling

Life styles and activities are reflections of daily lives at two different calibers where daily lives can be treated as an amalgamation of life styles and life styles as an amalgamation of activities. This is analogous to the treatment of documents as ensemble of topics and topics as ensemble of words. By capitalizing on recent developments in the field of text mining, we model the circadian lives of utilizers as life documents, the life fashions as topics, and the activities as words.




Fig 2: Bag of Activity

Activity recognition

We require to first relegate or agnize the activities of users. Life styles are customarily reflected as a coalescence of kineticism activities with different occurrence probability. Generally verbalizing, there are two mainstream approaches: supervised

studying plus unsupervised studying. For both approaches, mature techniques have been developed and tested. In practice, the number of activities involved in the analysis is capricious and it is arduous to accumulate an astronomically immense set of ground truth data for each activity, which makes supervised learning algorithms unsuitable for our system. Therefore, we utilize unsupervised learning approaches to agnize activities. Here, we adopt the popular K-denotes clustering algorithm to group information into bunches, where each cluster represents an activity. Note that activity apperception is not the main concern of our paper. Other more perplexed clustering algorithms can certainly be utilized. We optate K-designates for its simplicity and efficacy.

Friend matching graph construction

To characterize cognations among utilizers, in this division, we suggest the friend-matching graph to represent the kindred attribute among their life fashions plus how they determine early people in the graph. Predicated on the friend-matching graph, we can obtain a user's affinity reflecting how likely this utilizer will be culled as another user's friend in the network. We define an incipient kindred attribute metric to quantify the homogeneous attribute among two life style vectors. Predicated on the kindred attribute metric, we model the cognations among users in authentic life as a friend-matching graph. The friend-matching graph has been built to shine life fashion cognations among users.

User impact ranking

The impact ranking designates a user's capability to establish comities in the network. Once the ranking of a utilizer is obtained, it provides guidelines to those who receive the recommendation list on how to optate friends. The ranking itself, however, should be autonomous

from the question utilizer. The ranking depends only on the graph structure of the friend-matching graph, which holds 2 views: 1) how the edges are connected; 2) how much weight there is on every edge. This can be accomplished using burdened Page Rank algorithm.

4. PROPOSED WORK

During the web development phase, the utilizer data is recorded into our database. The utilizer activity from the database is accessed. An algorithm for calculating dominating life style vector of utilizer is developed. LDA algorithm is a way of automatically discovering topics that the user has, it finds the subject by calculating the probability of words in document. Similarly in case of FaceBook we apply this method and find the ascendant life style vector as below. The life style of users is excerpted by the life fashion analysis module with the probabilistic topic model, and then the life style indexing module puts the life styles of utilizers into the database in the format of (life-style, utilizer) The probabilistic topic model can be given as,

$$P(W_i | d_k) = \sum_{j=1}^Z p(w_i | z_j) p(z_j | d_k)$$

Where, w-activity

Z-life style

D –set of document plus in our case as we are carrying out it in facebook, dk can be considered as 1 as we are able to fetch the topics directly by considering utilizer activity as whole document.

The topics may be movies, books read, sports etc. plus the count of these actions can be accessed predicated on the sanction given by FaceBook developers and the people who authenticates in to our app and sanction us to access the data to recommend them friend of kindred interestingness

between the people of our information. As we get the count values we calculate probability of each activity of utilizer utilizing above formula then we find dominating life style vector of utilizer by designating some surmised threshold measure in our case we have regarded it as 0.2. let us define this threshold as α (alpha) And after finding dominating life style vector of utilizer we find kindred attribute among the users this is done utilizing the below formula,

$$S = S_c(i,j) \cdot S_d(i,j).$$

where i & j are number of users S_c = cosine similarity and S_d = distance similarity.

Hence, a cosine similarity can be calculated as below Among user 1 & user 2,

$S_c(U1,U2) = \cos(U1,U2) = \frac{a \cdot b}{|a||b|}$ Similarly with all the utilizers it is computed. And length resemblance is calculated as below,

$$S_d(U1,U2) = \frac{2|D1 \cap D2|}{|D1| + |D2|}.$$

After calculating kindred attribute value for all the utilizer with every other utilizer we store those values in matrix form from which we recommend a friend to the utilizer who is more preponderant than some designated threshold value, we have postulated threshold value as 0.5 in our case and let's consider this recommending threshold as β (beta). In the proposed work, we have fixated on four consequential phases as below Fig.

a. Engendering a utilizer interface application for evidence: Web apps that want approval to access certain information. Your authentication page verifies a utilizer's name and password, places a cookie on the utilizer's computer so he can return later, and uses database questions to recall the personal data for the utilizer

b. Extracting utilizer data and storing in database: We utilize Graph API implements for extracting data. The advantages of Graph API over antecedent work are the ability to learn highly precise extraction rules, and then we store this utilizer information like 'name', 'email', relishes, in the database that we have engendered.

c. Finding ascendant life style: Depending on the activities that utilizer has done we acquire certain count of the action, then we compute probabilities of each life style and consider those values who are more preponderant then some designated threshold value α (alpha). In which the utilizer interacts with ye site by our application.

d. Recommending potentiality friend: We compute the homogeneous attribute amongst the utilizers and recommend friends to the query utilizer who are above certain threshold value β (beta).




Fig 3: General Architectural model

5. RESULT MODULE

5.1 Bag of Activity of User1

user1tab	
Active Label	Frequency
class	108
cloud	274
computing	135
download	6
java	186
method	76
programming	10
quick	10
reference	10
resources	8
retrieved	149
this	12
tutorial	36

6. CONCLUSION

In our approach we presented the design and implementation of FriendBook, a semantic-predicated friend recommendation system for convivial networks. Different from the friend recommendation mechanisms relying on convivial graphs in subsisting gregarious networking accommodations, the results showed that the recommendations accurately reflect the predilections of users in culling friends. Beyond the current prototype, ye future work can be focused on carrying out it on early gregarious networking, plus same can be acclimated to build stand alone app and access the utilizer activity through mobile sensors. FriendBook can utilize more information for life revelation, which should amend the recommendation experience in the future.

7. REFERENCES

- [1] D. M. Blei, A. Y. Ng, and M. I. Jordan. Latent Dirichlet Allocation. Journal of Machine Learning Research, 3:993- 1022, 2003.



- [2] P. Desikan, N. Pathak, J. Srivastava, and V. Kumar. Incremental page rank computation on evolving graphs. Proc. of WWW, pages 1094-1095, 2005.
- [3] N. Eagle and A. S. Pentland. Reality Mining: Sensing Complex Social Systems. Personal Ubiquitous Computing, 10(4):255-268, March 2006.
- [4] K. Farrahi and D. Gatica-Perez. Probabilistic mining of sociogeographic routines from mobile phone data. Selected Topics in Signal Processing, IEEE Journal of, 4(4):746-755, 2010.
- [5] K. Farrahi and D. Gatica-Perez. Discovering Routines from Largescale Human Locations using Probabilistic Topic Models. ACM Transactions on Intelligent Systems and Technology (TIST), 2(1), 2011.
- [6] B. A. Frigyk, A. Kapila, and M. R. Gupta. Introduction to the dirichlet distribution and related processes. Department of Electrical Engineering, University of Washington, UWEETR- 2010-0006, 2010.
- [7] A. Giddens. Modernity and Self-identity: Self and Society in the late Modern Age. Stanford Univ Pr, 1991. [8] L. Gou, F. You, J. Guo, L. Wu, and X. L. Zhang. Sfviz: Interestbased friends exploration and recommendation in social networks. Proc. of VINCI, page 15, 2011.
- [9] W. H. Hsu, A. King, M. Paradesi, T. Pydimarri, and T. Weninger. Collaborative and structural recommendation of friends using weblog-based social network analysis. Proc. Of AAAI Spring Symposium Series, 2006.
- [10] T. Huynh, M. Fritz, and B. Schiel. Discovery of Activity Patterns using Topic Models. Proc. of UbiComp, 2008.
- [11] J. Kwon and S. Kim. Friend recommendation method using physical and social context. International Journal of Computer Science and Network Security, 10(11):116-120, 2010.
- [12] J. Lester, T. Choudhury, N. Kern, G. Borriello, and B. Hannaford. A Hybrid Discriminative/Generative Approach for Modeling Human Activities. Proc. of IJCAI, pages 766- 72, 2005.
- [13] Q. Li, J. A. Stankovic, M. A. Hanson, A. T. Barth, J. Lach, and G. Zhou. Accurate, Fast Fall Detection Using Gyroscopes and Accelerometer-Derived Posture Information. Proc. Of BSN, pages 138-143, 2009.
- [14] E. Miluzzo, C. T. Cornelius, A. Ramaswamy, T. Choudhury, Z. Liu, and A. T. Campbell. Darwin Phones: the Evolution of Sensing and Inference on Mobile Phones. Proc. of MobiSys, pages 5-20, 2010.
- [15] E. Miluzzo, N. D. Lane, S. B. Eisenman, and A. T. Campbell. Cenceme-Injecting Sensing Presence into Social Networking Applications. Proc. of EuroSSC, pages 1-28, October 2007.
- [16] L. Page, S. Brin, R. Motwani, and T. Winograd. The Pagerank Citation Ranking: Bringing Order to the Web. Technical Report, Stanford InfoLab, 1999.
- [17] S. Reddy, M. Mun, J. Burke, D. Estrin, M. Hansen, and M. Srivastava. Using Mobile Phones to Determine Transportation Modes. ACM Transactions on Sensor Networks (TOSN), 6(2):13, 2010.
- [18] I. Ropke. The Dynamics of Willingness to Consume. Ecological Economics, 28(3):399-420, 1999.



[19] A. D. Sarma, A. R. Molla, G. Pandurangan, and E. Upfal. Fast distributed pagerank computation. Springer Berlin Heidelberg, pages 11-26, 2013.

[20] G. Spaargaren and B. Van Vliet. Lifestyles, Consumption and the Environment: The Ecological Modernization of Domestic Consumption. *Environmental Politics*, 9(1):50-76, 2000.

[21] M. Tomlinson. Lifestyle and Social Class. *European Sociological Review*, 19(1):97-111, 2003.

[22] Z. Wang, C. E. Taylor, Q. Cao, H. Qi, and Z. Wang. Demo: Friendbook: Privacy Preserving Friend Matching based on Shared Interests. *Proc. of ACM SenSys*, pages 397-398, 2011.

[23] X. Yu, A. Pan, L.-A. Tang, Z. Li, and J. Han. Geo-friends recommendation in gps-based cyber-physical social network. *Proc. of ASONAM*, pages 361-368, 2011.

[24] Y. Zheng, Y. Chen, Q. Li, X. Xie, and W.-Y. Ma. Understanding Transportation Modes Based on GPS Data for Web Applications. *ACM Transactions on the Web (TWEB)*,