

Proposed Vector-Controlled Two-Phase Induction Motor as A Replacement for Single Phase Induction Motor

Mr. Eeram Krishna Murthy & Mr. S Chandra Kiran

¹B.Tech degree in Electrical and Electronics Engineering in the year of 2011 from BITIT, Hindupur, Ananthapuramu, Andhra Pradesh
Dr.KVSRIT, Kurnool, Andhra Pradesh State, India.
e.krishna218@gmail.com

²Asst. Professor at Dr. KVSRIT, Kurnool Sree Vidyanikethan Engineering College, Tirupati, Andhra Pradesh, India chandu.sepuri@gmail.com

ABSTRACT :

This paper presents vector controlled of single phase induction motor. some problems are with vector controlled SPIM.As SPIM's are typically to maintain speed and also about the complex implementation of vector controlled SPIM.the implemantion of the proposed vector controlled TPIM compared to the vector controlled SPIM. The general modal sutable for vector control of the unsymmetrical two phase induction motor and also stator flux oriented controlled strategies are analized. the comparative performance of both has been presented in this work with help of a practical three phase motor.

I. INTRODUCTION:

SPIMs normally require auxiliary winding and main winding as well as a capacitor to produce the starting torque. SPIMs are typically classified according to their starting technique. SINGLE-phase induction motors (SPIMs) are employed widely in the fractional power range, particularly in households where a three-phase ac electrical supply is not available. The unsymmetrical two-phase induction machines are widely used in high volume commercial applications due to their relative low cost and high reliability. Conventionally, these machines are fed from a single-phase ac mains supply. To achieve variable speed operation a power electronics inverter can be used. Although in this case a configuration with a single phase input / three phase output inverter driving a three phase induction motor seems to be economically preferable, it is believed that for certain applications the true potential of the unsymmetrical two-phase induction motor drive is not yet exhausted. The fig1 are represents single phase induction motor & two phase induction motor. This paper presents several problems encountered in conventional vector-controlled SPIMs and proposes a vector control strategy for a symmetrical two-phase induction motor (TPIM) drive (as vector-controlled TPIM) as a viable replacement for the vector controlled SPIM. The implementation of the vector-controlled TPIM is simpler and more accurate than a vector-controlled SPIM. Because self inductances and the rotor self-inductances in the d-q axis, respectively.

II. CONVENTIONAL VECTOR-CONTROLLED SPIM MODEL:

SPIMs are classified as unsymmetrical TPIMs. Fig. 2 shows the dq-axis equivalent circuit of an unsymmetrical TPIM in terms of the stationary reference frame. This equivalent circuit is more complicated than that of three-phase induction motors because the auxiliary winding has more turns than the




Fig. 1. Power converter for an SPIM drive. AC voltage controller by triac. And Two-phase half-bridge inverter




Fig2:Three Phase Power Device circuit.

main winding. The dynamic SPIM model neglecting core saturation and iron losses can be described using a stationary reference frame

$$v_{ds}^s = r_{ds} i_{ds}^s + p \lambda_{ds}^s, \lambda_{ds}^s = L_{ds} i_{ds}^s + L_{dm} i_{qs}^s$$

$$v_{qs}^s = r_{qs} i_{qs}^s + p \lambda_{qs}^s, \lambda_{qs}^s = L_{qs} i_{qs}^s + L_{dm} i_{ds}^s \quad (1)$$

$$0 = r_r i_{dr}^s + p \lambda_{dr}^s + \omega_r \lambda_{qr}^s, \lambda_{dr}^s = L_r i_{dr}^s + L_{qm} i_{qs}^s$$

where p is the derivation operator and ω_r is the rotor angular speed. $v_{ds}^s, v_{qs}^s, \lambda_{ds}^s, \lambda_{qs}^s$ are the stator voltages and the stator currents in the d - q axis in terms of the stationary reference frame (superscripts).

$$= L_{ds} i_{ds}^s + L_{dm} i_{qs}^s$$

$$= L_{qs} i_{qs}^s + L_{qm} i_{ds}^s$$

= stator flux in the dq axes;

= rotor flux in the dq axes;

L_{ds}, L_{qs} & L_r are the stator self-inductances in the dq -axis and the rotor self-inductance, respectively.

L_{lds}, L_{lqs} & L_{lr} are the leakage stator inductances in the dq -axis and leakage rotor inductance, respectively.

L_{dm}, L_{qm} are the magnetizing inductances in the d - q axis. The constant k is defined as the winding turn ratio and is given by the following:

$$k = \frac{L_{dm}}{L_{qm}} \approx \frac{n_{ds}^2}{n_{qs}^2}$$

The instantaneous electromagnetic torque T_e can be expressed in terms of the flux linkages and currents

$$T_e = \frac{P}{2} (L_{ds} i_{ds}^s i_{qr}^s - L_{ds} i_{ds}^s i_{qr}^s) \quad (3)$$

T_e and the load torque T_L are related by the following equation:

$$J \frac{d\omega_r}{dt} = T_e - T_L - F \omega_r \quad (4)$$

where $P, J,$ and F are the number of machine poles, inertia, and viscous friction coefficient, respectively. Many studies have concentrated on modified SPIM models to eliminate the unbalanced operation. This section examines one of the SPIM models, which was presented by Correa. The mutual inductances are not identical in the torque. The ac term of the electromagnetic torque can be eliminated by adjusting the stator currents. The phase currents, stator voltages, and counter electromotive forces in the d - q -axis must be redefined to characterize the modified SPIM models due to the adjustment of $a(\omega_r)k$.

$$i_{ds}^s = i_{ds1}^s; i_{qs}^s = k i_{qs1}^s \quad (5)$$

$$e_{ds}^s = e_{ds1}^s; e_{qs}^s = e_{qs}^s / k;$$

$$T_e = \frac{P}{2} \frac{L_{dm}}{L_r} (i_{ds}^s \lambda_{qr}^s - i_{ds1}^s \lambda_{qr}^s) \quad (6)$$

speed. The currents supplied to the machine need to be oriented in phase and in quadrature to the rotor flux. This can be accomplished by choosing ω_e so that the rotor flux is entirely in the d -axis, resulting in $\lambda_{qr}^s = 0, \lambda_{dr}^s$ constant. This expresses the field orientation concept in the dq -variables. Therefore, it is reduced to below expression.

$$T_e = P/2 \cdot L_{dm}/L_r \cdot \lambda_{dr}^s \cdot i_{qs1}^e \quad (10)$$

$$\omega_e - \omega_r = \omega_{sl} = L_{dm}/\tau_r \cdot i_{qs1}^e / \lambda_{dr}^s \quad (11)$$

The rotor position angle θ_e can be obtained indirectly by summing the rotor position angle θ_r and slip position angle θ_{sl} . The SPIM models to compensate for the unbalanced operation in terms of the stationary reference frame can be derived from (1)–(2) and are given by the following:

$$v_{ds}^s = (r_{ds} + L_{dm}^2/\tau_r L_r) i_{ds}^s + \sigma_{ds} L_{ds} p i_{ds}^s + e_{ds}^s \quad (12)$$

$$v_{qs}^s = (r_{qs} + L_{qm}^2/\tau_r L_r) i_{qs}^s + \sigma_{qs} L_{qs} p i_{qs}^s + e_{qs}^s \quad (13)$$

Where

$$e_{ds}^s = -L_{dm}/L_r (\omega_r \lambda_{qr}^s + \lambda_{dr}^s / \tau_r) \quad (14)$$

$$e_{qs}^s = L_{qm}/L_r (\omega_r \lambda_{dr}^s - \lambda_{qr}^s / \tau_r) \quad (15)$$

Where $\sigma_{ds} (= 1 - L_{dm}^2/\tau_r L_r L_{ds})$ and

$$\sigma_{qs} (= 1 - L_{qm}^2/\tau_r L_r L_{qs})$$

are the leakage factors in the dq -axis. e_{ds}^s

and e_{qs}^s are the counter electromotive forces in the dq -axis. The compensated stator voltage

equations in terms of the synchronous reference frame can be rewritten

considering (4) and (5) as [6]

$$v_{ds}^s = (r_{ds} + L_{dm}^2/\tau_r L_r) i_{ds1}^s + \sigma_{ds} L_{ds} d i_{ds1}^s / dt + e_{ds}^s \quad (16)$$

$$v_{qs}^s = (r_{qs} + L_{qm}^2/\tau_r L_r) i_{qs1}^s + \sigma_{qs} L_{qs} d i_{qs1}^s / dt + e_{qs}^s \quad (17)$$

Where the modified counter electromotive forces are given by

$$e_{ds1}^s = -L_{dm} \lambda_r / (\tau_r L_r) - \omega_e \sigma_{ds} L_{ds} i_{qs1}^s \quad (18)$$

$$e_{qs1}^s = L_{dm} \omega_r \lambda_r / L_r + \omega_e \sigma_{qs} L_{qs} i_{ds1}^s \quad (19)$$

Where the compensated electromotive forces are given by

$$e_{ds1}^s = - (L_{qs}^2 - L_{ds}) i_{qs1}^s \quad (20)$$

This equation shows that the symmetrical machine does not produce any torque oscillation in the steady state. The rotor-flux model in terms of the stationary reference frame can be expressed as

$$d\lambda^s dr / dt = -\lambda^s dr / \tau r - \omega r \lambda^s q r + 1 / \tau r L d m i^s d s 1 \quad (7)$$

$$c q s 1 = (a r q s - r d s) i q s 1 \quad (21)$$

^e
 With $\tau r = L r / r r$. The rotor-flux model in terms of the synchronous

$$d\lambda^e dr / dt = -\lambda^e dr / \tau r + \omega s l \lambda^e q r + 1 / \tau r L d m i^e d s 1 \quad (8)$$

$$d\lambda^e q r / dt = -\lambda^e dr / \tau r - \omega s l \lambda^e d r + 1 / \tau r L d m i^e q s 1 \quad (9)$$

Where $\omega s l (= \omega e - \omega r)$ is the slip angular speed and ωe is the synchronous angular

2.1 SPIM DRIVE SYSTEM:

Conventional vector-controlled SPIM methods have concentrated mostly on eliminating unbalanced operation because vector control strategies are based on a balanced drive system involving symmetrical motors. Modified stator voltage equations are needed to compensate for the unbalanced SPIM operation, e.g., $c d s 1$ and $c q s 1$ in (16) and (17). Therefore, the implementation of a vector-controlled SPIM drive is more complex than that a vector-controlled symmetrical motor. Fig. 3 shows the implementation of the vector-controlled SPIM used to accomplish (16) and (17). Therefore, the implementation of a

that a vector controlled symmetrical motor.

2.2 DIFFICULTY IN MEASURING THE SPIM PARAMETERS:

The parameters for ac machines need to be precisely to operate a vector-controlled ac machine without error. The parameters for symmetrical machines can be calculated precisely using the no-load test and locked-rotor test. On the other hand, unsymmetrical motors produce negative and positive torque during operation. This makes measuring the parameters more complicated. In addition, modelling, re-newing, and optimizing Single-phase capacitor motors are difficult compared to symmetrical motors. Therefore, many calculations and iterations of measuring tests are needed to determine the SPIM parameters. In numerous computer calculations were proposed to obtain precise measurements of the SPIM parameters. Therefore, unsymmetrical machines as SPIM is not proper to control the speed motor by using a vector control strategies, and symmetrical motors should be used as a replacement.

III. VECTOR CONTROL STRATEGY FOR TPIM DRIVE:

This section proposes a vector control strategy for symmetrical TPIMs (as “vector- controlled TPIM”) as a replacement for the vector- controlled SPIM. Historically, the vector control strategies have concentrated on three-phase ac machines and have not been attempted in symmetrical TPIM until now. The vector-controlled TPIM can solve several of the problems that plague the v of the TPIM precisely. vector-controlled SPIM, and can control the speed of the TPIM precisely. until now. The vector-controlled TPIM can solve several of the problems that plague the vector-controlled SPIM, and can control the speed of the TPIM precisely. Before going to analyze any motor or generator, it is very much important to obtain the machine in terms of equivalent mathematical equations. Traditional per phase equivalent circuit has been widely used in steady state analysis and design of induction motor. As the per phase equivalent circuit of the machine is only valid in steady state condition, in an adjustable-speed drive the machine normally constitutes an element within a feedback loop, and therefore its transient behavior has to be taken into consideration. The dynamic model considers the instantaneous effects of varying voltages/currents, stator frequency, and torque disturbances. A dynamic model of the machine subjected to control must be known in order to understand and design of vector controlled drives. Due to the fact that every good control has to face any possible change of the plant, it could be said that

the dynamic model of the machine is the approximation of the real plant. Nevertheless, should incorporate all the important dynamic effects occurring during both steady-state and transient operations. Furthermore it should be valid for any changes in inverter’s supply such as voltages and or currents the dynamic model of the induction motor is derived by using a two-phase motor in direct and quadrature axes.

REFERENCE FRAMES:

The required transformation in voltages, currents, or flux linkages is derived in a generalized way. The reference frames are chosen to be arbitrary and particular cases, such as stationary, rotor and synchronous reference frames are simple instances of the general case. R.H. Park in the 1920s, proposed a new theory of electrical machine analysis to represent the d-q model. He transformed the stator variables to a synchronously rotating reference frame fixed in the rotor, which is called Park’s transformation. He showed that all the time varying inductances that occur due to an electric circuit in relative motion and electric circuits with varying magnetic reluctances could be eliminated. In 1930s, H.C Stanley showed that time varying inductances in the voltage equations of an induction machine due to electric circuits in relative motion can be eliminated by transforming the rotor variables to a stationary reference frame fixed on the stator. Later G. Kron proposed a transformation of both stator and rotor variables to a synchronously rotating reference that moves with the rotating magnetic field.

4.1 AXIS TRANSFORMATION (3Φ TO 2Φ):

NEED FOR TRANSFORMATION:

The dynamic performance of an induction machine is somewhat complex because the three phase rotor windings move with respect to the three phase stator windings. The machine model can be described by differential equations with time varying mutual inductances, (between the three phases of the stator and the three phases of the rotor) but such a model tends to be very complex. Hence to reduce the complexity it is necessary to transform the three phase windings into equivalent two-phase machine.

THREE PHASE MODEL:

We considered a 3 phases, symmetrical induction machine as shown in below Fig.2.2. The stator windings are identical, sinusoid ally distributed windings, displaced 120 degrees, with N_s equivalent turns and resistance R_s . The rotor windings will also be considered as three identical, sinusoidal distributed windings displaced 120 degrees with N_r equivalent turns and resistance R_r . From above analysis it is clear that the differential equations describing the induction motor are nonlinear. For stability and controller

design studies, it is important to liberalize the machine equations around a steady state operating point to obtain smallsignal equations. The dynamic performance of an induction machine is somewhat complex because the three phase rotor windings move with respect to the three phase stator windings. Hence to reduce the complexity it is necessary to transform the three phase windings into equivalent two-phase machine. This approach is desirable because of the conceptual simplicity obtained with two sets of windings, one on the stator and the other in the rotor. The equivalence between the three phase and two phase machine models is derived from simple observation, and this approach is suitable for extending it to model an n-phase machine by means of a two phase machine.




Fig. 3 Representation of three phase stator and rotor.

coupling effect in three-phase stator and rotor windings of motor. Consider a symmetrical three phase induction machine with stationary stator winding axes as-bs-cs at $2\pi/3$ angle apart as shown in Fig.2.4 Our goal is to transform the 3- ϕ stationary reference frame (as-bs-cs) variables into 2- ϕ stationary reference frame (d^s - q^s) variable and then transform these to synchronously rotating reference frame (d^e - q^e) and vice versa.




Fig 4 Stationary frame a-b-c to d^s - q^s axes transformation




Fig 5 d^e - q^e axes phase conversion

It is convenient to set $\theta = 0$, so that the q^s axis is aligned with the as axis by ignoring the zero sequence component the transformation relations can be simplified as

$$V_{as} = V_{qs} \tag{22}$$

$$V_{cs} = -\frac{1}{2}V_{qs} + \frac{\sqrt{3}}{2}V_{ds} \tag{23}$$

$$V_{cs} = -\frac{1}{2}V_{qs} + \frac{\sqrt{3}}{2}V_{ds} \tag{24}$$

And inversel

$$V_{qs} = \frac{2}{3}V_{as} - \frac{1}{3}V_{bs} - \frac{1}{3}V_{cs} = V_{as} \tag{26}$$

$$V_{ds} = -\frac{1}{\sqrt{3}}V_{bs} + \frac{1}{\sqrt{3}}V_{cs} \tag{27}$$

For example assume that the 3- ϕ stator voltages are sinusoidal and balanced, and are given by

$$V_{as} = V_m \cos(\omega_e t + \phi) \tag{28}$$

$$V_{bs} = V_m \cos(\omega_e t - \frac{2\pi}{3} + \phi) \tag{29}$$

$$V_{cs} = V_m \cos(\omega_e t + \frac{2\pi}{3} + \phi) \tag{30}$$

(26) & (27) By substituting the above equations we obtain

$$V_{qs} = V_m \cos(\omega_e t + \phi) \tag{31}$$

$$V_{ds} = -V_m \sin(\omega_e t + \phi) \tag{32}$$

VI. MODELLING OF INDUCTION MOTOR ALONG STATIONARY REFERENCE FRAME:

The dynamic machine model in stationary reference frame can be derived simply by substituting $\omega_e=0$ in basic matrix equation. The corresponding stationary reference frame equations are given as:

$$V_{qs}^s = R_s i_{qs}^s + \frac{d}{dt} \Psi_{qs}^s \quad (33)$$

$$V_{ds}^s = R_s i_{ds}^s + \frac{d}{dt} \Psi_{ds}^s \quad (34)$$

$$0 = R_r i_{qr}^s + \frac{d}{dt} \Psi_{qr}^s - \omega_r \Psi_{dr}^s \quad (35)$$

$$0 = R_r i_{dr}^s + \frac{d}{dt} \Psi_{dr}^s + \omega_r \Psi_{qr}^s \quad (36)$$

Where $V_{qr} = V_{dr} = 0$

Differences Between the Vector-Controlled TPIM and the Vector-Controlled Three-Phase AC Motor The vector control strategy for symmetrical TPIM is derived from the vector-controlled three-phase ac machine.

Three-phase ac motors are operated by a rotating mmf. The rotating mmf vector F_{ss} is determined by the addition of the stationary three-phase mmfs vectors

$$F_{ss} = F_{as} + aF_{bs} + a^2F_{cs} = F_{ds} + jF_{qs} \quad (37)$$

$$\text{where } a = e^{j2\pi/3} = \cos 23\pi + j \sin 23\pi \quad (38)$$

The abc→dq transformation for the phase currents in terms of the stationary reference frame is needed for vector-controlled three-phase ac motors

$$i_{asbc} = \frac{2}{3} i_{as} - \frac{1}{2}(i_{bs} + i_{cs}) + j\sqrt{3}/2(i_{bs} - i_{cs}) \quad (39)$$

VII. SINUSOIDAL PULSEWIDTH MODULATION (PWM) TECHNIQUE FOR THE TWO LEG INVERTER:

Although many PWM techniques for voltage source inverters have been proposed, the sinusoidal PWM technique is the simplest method for an inverter [20]. In this paper, the sinusoidal PWM technique was used for the two-leg inverter-fed TPIM, as shown in Fig. 1(b). The offset voltage specified by V_{sn} exists between the phase voltages V_{ds} and V_{qs} across the loads, and the output voltages V_{dn} and V_{qn} exist in the two-leg inverter. Therefore, the determined output voltages V_{dn} and V_{qn} can be expressed as follows:

$$V_{dn} = V_{ds} + V_{sn} \quad (40)$$

$$V_{qn} = V_{qs} + V_{sn} \quad (41)$$

VIII. TRANSIENT RESPONSE FOR THE MOTOR SPEED, REFERENCE Q-AXIS STATOR CURRENT:

Response for the q-axis stator current, and rotating q-axis stator current due to the variation of speed under 30% load torque (400 r/min⇒800 r/min). speed: 1760 r/min, and the number of poles: 4), which can be calculated using the no-load test and locked-rotor test. Fig. 12 shows the transient response for the motor speed, reference q-axis stator current I_{qs} its response I_{eqs} for the q-axis stator current, and the rotating q-axis stator current I_{sqs} when the reference speed is changed suddenly from 400 to 800 r/min under a 30% load torque. The q-axis stator current I_{eqs} is in proportion to the load torque except during the transient response period; its magnitude is




Fig:6 Single Phase Induction Motor Simulation Circuit

approximately 2.5 A. The actual frequency of I_{sqs} is in proportion to the reference speed. Fig. 13 shows the transient response for the motor speed, I_{eqs} , I_{sqs} , and I_{qs} in the q-axis when the load torque is changed suddenly from no load to a 30% load torque and returned to a no load at a fixed speed of 800 r/min. The motor speed maintains a constant 800 r/min regardless of the magnitude of the load torque. The magnitude of the rotating stator current I_{sqs} increases but its frequency is fixed due to the motor speed. Fig. 14 shows the reference motor speed, transient response for the motor speed, and reference q-axis stator current I_{eqs} , along with its response for I_{eqs} when the reference speed changes suddenly in the opposite direction from 400 to 400 r/min under. Transient response for the motor speed, reference q-axis stator current, response for the q-axis stator current, and rotating q-axis stator current under a fixed 800 r/min due to a variation of the load (no

load⇒30% load⇒no load).




Fig:7 Transient response for the motor speed and two rotating stator currents in the dq-axis under no load due to the slow variation in the opposite direction of the reference speed (-800 r/min ⇒ 800 r/min).




Fig:12 Vector controlled Two Phase Induction motor Simulation circuit

Fig:8 Transient response for the motor speed, reference q-axis stator current, and rotating q-axis stator current under no load due to the quick variation in the opposite direction of the reference speed ($-400 \text{ r/min} \Rightarrow 400 \text{ r/min} \Rightarrow -400 \text{ r/min}$).




Fig:9 Transient response for the motor speed, reference Q-axis stator current, response for the q-axis stator current, and rotating q-axis stator current under a fixed 800r/m due variation of the load (no load=30%load=no load).




Fig:10 Two reference voltages, triangular carrier wave, and two output voltages in a two leg inverter




Fig:11 Experimental waveforms for the steady-state two-phase currents and their locus.

Fig:15 Three phase induction motor speed with load




Fig:13 Implementation of vector controlled three phase induction motor simulation circuit.





Fig:14 Three phase O/p currents Iabc






Fig:16 Flux,torque & speed wave forms




Fig:19 Two phase induction motor reference speed




Fig:17 idqs wave forms.




Fig:18 fdqs wave forms

IX.

CONCLUSION:

This project presented the problems encountered in the conventional vector-controlled SPIM, and explained that the vector control strategies for the SPIM drive are not needed in the low power level field. The vector-controlled TPIM was presented as a replacement for the vector-controlled SPIM. The proposed vector-controlled TPIM has several advantages. The implementation of the proposed vector-controlled TPIM is simpler than that of the vector-controlled SPIM. The parameters of the TPIM can be calculated simply, whereas parameter measurements for an SPIM are difficult. The vector controlled TPIM is useful to the low power motor drive applications at area where the voltage source in the drive system can be supplied by the dc battery or single-phase ac voltage source.. The vector-controlled TPIM was derived from the indirect vector control concept for three-phase ac machines. In addition several differences between the vector control strategies for the TPIM and three-phase ac motors were explained. The proposed vector control strategy is useful for low-power motor drives and in areas where a single-phase voltage source is available. The validity of the vector control strategy for the symmetrical TPIM & three phase induction were verified through simulations and experiments. Three phase asynchronous induction motors are widely used in industrial applications due to their features of low cost, high reliability and less maintenance. Due to the need for three-phase electricity in today's remote areas for agriculture



work where three phase power is not available easily, in those areas these single phase to three phase converters are used.

REFERENCES:

- [1] D. Wang, —Hybrid fuzzy vector control for single phase induction motor, in *Proc. Int. Conf. Comput. Control Ind. Eng.*, 2010, pp. 122–125.
- [2] A. Nied, J. Oliveira, F. R. L. Sa, R. Campos, and L. H. R. C. Stival, —Singlephase induction motor indirect field oriented control under nominal load, in *Proc. Power Electron. Drive Syst.*, 2010, pp. 789–793.
- [3] C. Mdemlis, I. Kioskeridis, and T. Thodoulidis, —Optimization of singlephase induction motors— Part I: Maximum energy efficiency control, *IEEE Trans. Energy Convers.*, vol. 20, no. 1, pp. 187–195, Mar. 2005.
- [4] M. F. Rahman and L. Zhong, —A current- forced reversible rectifier fed single-phase variable speed induction motor drive, in *Proc. 27th Annu. IEEE Power Electron. Spec. Conf.*, Jun., 1996, pp. 114–119.
- Industry Applications*, vol. 10, no. 4, Jul./Aug. 2004, pp. 24–32.
- [10] P. C. Krause, O. Waszynchuk and S. D. Sudhoff, *Analysis of Electrical Machinery*, IEEE Press, New York, 1995.
- [11] P. Vas, *Parameter Estimation, Condition Monitoring, and Diagnosis of Electrical Machines*, Clarendon Press, Oxford, 1993.
- [12] P. N. Enjeti et al., —Economic single phase to three phase converter topologies for fixed frequency output, *IEEE APEC Conf. Rec.*, pp. 88–94, 1991.
- [13] C. Chen et al., —A single phase to three phase power converter for motor drive applications, *IEEE IAS Conf. Rec.*, pp. 639–646, 1992.
- [14] P. N. Enjeti and A. Rahman, —A new single-phase to three-phase converter with active input current shaping for low cost ac motor drives, *IEEE Trans.*
- [5] C. Schauder, —Adaptive speed identification for vector control of induction motors without rotational transducers, *IEEE Trans. Industry Applications*, vol. 28, no. 5, pp. 1054–1061, Sept./Oct. 1992.
- [6] M. E. Elbuluk, L. Tong, and I. Husain, —Neural network based model reference adaptive systems for high-performance motor drives and motion controls, *IEEE Trans. Ind. Appl.*, vol. 38, no. 3, pp. 879–886, May/Jun. 2002.
- [7] S. Bolognani and M. Zigliotto, —Fuzzy logic control of a switched reluctance motor drive, *IEEE Trans. Ind. Appl.*, vol. 32, no. 5, pp. 1063–1068, Sep./Oct. 1996.
- [8] Jang, D.H. - Yoon, D.Y.: Space-vector PWM technique for two-phase inverter-fed two phase induction motors, *IEEE Transactions on Industry Applications*, vol. 39, no. 2, Mar./Apr. 2003, pp. 542–549.
- [9] Blaabjerg, F. - Lungeanu, F. - Skaug, K. - Tonnes, M.: Two-phase induction motor drives, *IEEE Transactions on*
- [16] E. F. Fuchs, A. J. Vandeput, J. Holl, and J. C. White, “Design analysis of capacitor-run single-phase induction motors,” *IEEE Trans. Energy Convers.*, vol. 5, no. 2, pp. 327–336, Jun. 1990.
- [17] Y. H. Cho, K. Y. Cho, H. S. Mok, K. H. Kim, and J. S. Lai, “Phase current reconstruction techniques for two-phase inverters using a single current sensor,” *J. Power Electron.*, vol. 11, no. 6, pp. 837–845, 2011.
- [18] D.-H. Jang, “PWM methods for two-phase inverters,” *IEEE Ind. Appl. Mag.*, vol. 13, no. 2, pp. 50–61, Mar./Apr. 2007.
- [19] Paul C. Krause, *Analysis of Electric Machinery*. New York: McGraw- Hill, 1987.
- [20] G. R. Slemon and A. Straughen, *Electric Machinery*. Reading, MA: Addison-Wesley, 1980.



Mr. EERAM KRISHNA MURTHY was born in India. He received B.Tech degree in Electrical and Electronics Engineering in the year of 2011 from BITIT, Hindupur, Ananthapuramu, Andhra Pradesh State and pursuing M.Tech degree in Power Electronics and Electrical drives in EEE Department in Dr.KVSRT, Kurnool, Andhra Pradesh State, India.

mail id: e.krishna218@gmail.com



Mr. S CHANDRA KIRAN was born in India. He is presently working as an Asst. Professor at Dr. KVSRT, Kurnool. He received M.Tech degree in the specialization of Electrical Power systems in the year of 2012 from Sree Vidyanikethan Engineering College, Tirupati, Andhra Pradesh, India. His area of interests are Neural Networks, Fuzzy logics and Power Quality. He has published three International Journals and has attended one National Conference on Power Quality.

Email id: chandu.sepuri@gmail.com